





# Tiddlywinks

Pattern by *moda*

Quilt is 58" x 68"



## FABRIC REQUIREMENTS

**Prints:** 1 Jelly Roll

**Setting/Border:** 2½ yards

**Binding:** ¾ yard

**Backing:** 4½ yards

\*Jelly Roll = 40 - 2½" x width of fabric strips

## RECOMMENDED TOOL

**2.5" PJR Half Hex Template**

Stock #2001 11

*Created to fit on a 2.5" strip!*

**\* If you do not have the PJR Template, trace the template included here onto template plastic to cut the shape.**



# Tiddlywinks

Quilt is 58" x 68"

## Cutting Instructions:

(WOF = Width of Fabric, JR = Jelly Roll)

### From the Jelly Roll:

- Unroll the Jelly Roll strips and press. Using the PJR Hexie Template, cut at least (8) segments from each Jelly Roll strip. Cut a total of 288 half-hexies.

### From the Setting/Border Fabric:

- Cut (13) 2½" x WOF strips.
  - Piece (4) strips for length and set aside for the top and bottom borders.
  - From the remaining (9) strips, cut (96) rectangles - 2½" x 3½".
- Cut (4) 4½" x 42" WOF strips.
  - Piece the strips for length and set aside for the middle strips.
- Cut (4) 8½" x 42" WOF strips.
  - Piece the strips for length and set aside for the outer side borders.


### From the Binding Fabric:

- Cut (7) 2¼" x WOF strips.


---

## Cutting the Setting Pieces.

Select (48) 2½" x 3½" rectangles. Use the PJR Hexie Template to cut the rectangles as shown - roughly in the middle is fine as you will trim your edges later.



Cut the remaining (48) rectangles in the opposite direction.



**Note:** If the Setting/Border fabric is a solid, all of the cut rectangles can be the same direction. Just flip it to get the correct orientation.

**Sort the Half-Hexies.** Each "hexie" is made with two matching half-hexies. To get ready for laying out the quilt top, sort the half-hexies to make (144) pairs of two matching half-hexies.

Tiddlywinks is layed out in three vertical panels, each with three half-hexies per row. Each panel is assembled in horizontal rows.

## Assembly.

**All seams are a scant  $\frac{1}{4}$ ".**

Press the seams in the direction of the arrows - or press them open.


Join the rows. Press the horizontal seams in one direction - or press the seam open. Continue assembling and joining rows to complete each panel.

Trim the sides of each panel straight -  $\frac{1}{4}$ " from the point of the hexagon.

Each panel should measure approx.  $11\frac{3}{4}$ " wide x  $64\frac{1}{2}$ " long.

Cut (2) strips -  $4\frac{1}{2}$ " x  $64\frac{1}{2}$ " long - or the length of your panels.

Join the pieces as shown - press the seams to the plain strip.



## Completing the Top.

The quilt top should measure approx. 42 $\frac{1}{4}$ " wide x 64 $\frac{1}{2}$ " long.


**Side borders.** Cut (2) strips - 8 $\frac{1}{2}$ " x 64 $\frac{1}{2}$ " long - or the length of your panels.

**Top/Bottom borders.** Cut (2) strips - 2 $\frac{1}{2}$ " x 58 $\frac{1}{4}$ " long - or the width of your quilt top.

Join the 8 $\frac{1}{2}$ " x 64 $\frac{1}{2}$ " side border strips to the sides of the quilt top. Press the seams to the border strips.

Join the 2 $\frac{1}{2}$ " x 58 $\frac{1}{4}$ " top/bottom border strips to the top/bottom edges of the quilt top. Press the seams to the border strips.

Quilt and bind as desired.



## Half Hexagon Template

If you do not have the acrylic PJR Half Hex Template, simply trace this shape onto template plastic and cut the template. Check the scale using the 1" square above prior to cutting.