

Facets Quilt designed by: **Matthew Pridemore** • Quilt Size: **48" x 56"**

Skill Level: **Advanced Beginner** • andoverfabrics.com

Quilt finished 48" x 56"

Cutting Directions

Note: Read assembly directions before cutting patches. Borders are cut to exact length required plus ¼" seam allowance. WOF designates the width of fabric from selvedge to selvedge (approximately 42" wide).

Fabric A Cut (19) 2 ½" x WOF strips. Sub-cut the strips into (168) 2 ½" x 4 ½" strips.
 Cut (11) 2 ½" x WOF strips. Sub-cut the strips into (168) 2 ½" squares.

Fabric B Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (2) 1 ½" x 4 ½" strips and (2) 1 ½" x 2 ½" strips.

Fabric C Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.

Fabric D Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (2) 1 ½" x 4 ½" strips and (2) 1 ½" x 2 ½" strips.

Fabric E Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.

Fabric F Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.

Fabric Requirements

		Yardage	Fabric
Fabric A	blocks	2 ¼ yards	CS-10-Cottonball*
Fabric B	blocks	¼ yard	836-B
Fabric C	blocks	¼ yard	834-Y
Fabric D	blocks	¼ yard	833-T
Fabric E	blocks	¼ yard	834-T
Fabric F	blocks	¼ yard	836-N
Fabric G	blocks	¼ yard	834-P
Fabric H	blocks	¼ yard	837-Y
Fabric I	blocks	¼ yard	837-G
Fabric J	blocks	¼ yard	835-C
Fabric K	blocks	¼ yard	835-O
Fabric L	blocks	¼ yard	835-G
Fabric M	blocks	¼ yard	838-T
Fabric N	blocks	¼ yard	837-R
Fabric O	blocks	¼ yard	838-L
Fabric P	blocks	¼ yard	839-G
Fabric Q	blocks	¼ yard	836-R
Fabric R	blocks	¼ yard	833-V
Fabric S	blocks	¼ yard	838-C
Fabric T	blocks	¼ yard	839-K
Fabric U	blocks	¼ yard	833-N
Fabric V	blocks	¼ yard	840-Y
Fabric W	blocks	¼ yard	840-E
Fabric X	blocks	¼ yard	839-T
Fabric Y	blocks	¼ yard	840-P
Binding		½ yard	836-B
Backing		3 ¼ yards	838-L

*Century Solids Collection

Fabric G Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (17) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.

Fabric H Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.

Fabric I Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares.
 Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.

Facets

Cutting Directions - Continued

Fabric J	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (2) 1 ½" x 4 ½" strips and (2) 1 ½" x 2 ½" strips.	Fabric R	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (2) 1 ½" x 4 ½" strips and (2) 1 ½" x 2 ½" strips.
Fabric K	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.	Fabric S	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.
Fabric L	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.	Fabric T	Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (10) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.
Fabric M	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.	Fabric U	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (2) 1 ½" x 4 ½" strips and (2) 1 ½" x 2 ½" strips.
Fabric N	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (18) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.	Fabric V	Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (9) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.
Fabric O	Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (9) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.	Fabric W	Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (9) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.
Fabric P	Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (10) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.	Fabric X	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (17) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.
Fabric Q	Cut (2) 2 ½" x WOF strips. Sub-cut the strips into (17) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (2) 1 ½" x 4 ½" strips and (2) 1 ½" x 2 ½" strips.	Fabric Y	Cut (1) 2 ½" x WOF strip. Sub-cut the strip into (10) 2 ½" squares. Cut (1) 1 ½" x WOF strip. Sub-cut the strip into (4) 1 ½" x 4 ½" strips and (4) 1 ½" x 2 ½" strips.
		Binding	Cut (6) 2 ½" x WOF strips for the binding.
		Backing	Cut (2) 56" x WOF strips. Sew the strips together and trim to make (1) 56" x 64" backing.


Facets

Making the Quilt




















The arrows in the diagrams represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Block Assembly



Sew (1) 1 1/2" x 2 1/2" Fabric C strip to each side of (1) 2 1/2" Fabric B square. Sew (1) 1 1/2" x 4 1/2" Fabric C strip to the top and to the bottom of the Fabric B square to make (1) 4 1/2" Unit 1 square (Diagram 1). Repeat to make a second Unit 1 square.





2. Repeat Step 1 and refer to Diagrams 2 -24 for fabric identification, placement and orientation to make the designated number of 4 1/2" squares. *Note: There will be a total of (42) 4 1/2" unit squares for Unit 1 through Unit 24.*



3. Place (1) 2 1/2" Fabric D square on the left side of (1) 2 1/2" x 4 1/2" Fabric A strip, right sides together (Diagram 25). Sew across the diagonal of the square from the upper right corner to the lower left corner (Diagram 25). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance (Diagram 26).


























4. Place another 2 1/2" Fabric D square on the right side of the 2 1/2" x 4 1/2" Fabric A strip, right sides together (Diagram 27). Sew across the diagonal of the square from the upper left corner to the lower right corner (Diagram 27). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 25 strip (Diagram 28).
5. Repeat Steps 3-4 to make (8) Unit 25 strips total.




6. Repeat Steps 3-4 and refer to Diagrams 29-51 for fabric identification, placement, seam direction and orientation to make the indicated number of unit strips for Unit 26 through Unit 48. *Note: There will be a total of (168) unit strips for Unit 25 through Unit 48.*










Facets



7. Sew (1) 2 1/2" Fabric A square to each end of (1) Unit 25 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 25 strip to each side of (1) Unit 1 square to make the middle row. Sew together the (3) rows lengthwise to make (1) 8 1/2" Block One square (Diagram 52). Repeat to make a second Block One square.



8. Repeat Step 7 and refer to Diagrams 53-75 for component identification, placement and orientation to make the designated number of block squares for Block Two through Block Twenty-four. *Note: There will be (42) block squares total for Block One through Block Twenty-four.*



Facets

Block Eleven
make 2




Diagram 62

Block Twelve
make 2




Diagram 63

Block Thirteen
make 2




Diagram 64

Block Fourteen
make 2




Diagram 65

Block Fifteen
make 2




Diagram 66

Block Sixteen
make 2




Diagram 67

Block Seventeen
make 2




Diagram 68

Block Eighteen
make 2




Diagram 69

Block Nineteen




Diagram 70

Block Twenty




Diagram 71

Block Twenty-One




Diagram 72

Block Twenty-Two




Diagram 73

Block Twenty-Three




Diagram 74

Block Twenty-Four




Diagram 75


Quilt Top Assembly

(Refer to the *Quilt Layout* when assembling the quilt top.)

9. Sew (1) Block One square, (1) Block Two square, (1) Block Three square, (1) Block Four square, (1) Block Five square and (1) Block Six square together in that order from left to right to make Row One.
10. Repeat Step 9 and refer to the quilt layout for component identification and placement to make Row Two through Row Seven.
11. Sew the (7) pieced rows together lengthwise and in numerical order from the top to the bottom to make the quilt top.


Finishing the Quilt

12. Layer and quilt as desired.
13. Sew the (6) Binding strips together, end to end with a 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
14. Bind as desired.




Jewelbox


ANDOVER FABRICS



833-N 1/4 yd



833-T 1/4 yd




833-V 1/4 yd




834-P 1/4 yd



834-T 1/4 yd




834-Y 1/4 yd




835-C 1/4 yd



835-G 1/4 yd



835-O 1/4 yd




836-B 3/4 yd
(includes binding)




836-N 1/4 yd




836-R 1/4 yd




837-G 1/4 yd




837-R 1/4 yd




837-Y 1/4 yd




838-C 1/4 yd



838-L 3 1/2 yds
(includes backing)



838-T 1/4 yd




839-G 1/4 yd



839-K 1/4 yd




839-T 1/4 yd



840-E 1/4 yd



840-P 1/4 yd



840-Y 1/4 yd

Fabrics shown are 25% of actual size.

CS-10-Cottonball 2 1/4 yds
Century Solids

andover • makower.uk

Free Pattern Download Available

1384 Broadway New York, NY 10018
Tel. (800) 223-5678 • andoverfabrics.com