

BRUSHSTROKES



Featuring fabrics from the **Brushstrokes** collection by **Pepper Cory** for **STUDIOe** fabrics

Fabric Requirements

(A) 3051-91	4 1/8 yards*	(J) 3051-58	1/4 yard
(B) 3051-33	2/3 yard	(K) 3051-55	1/2 yard
(C) 3051-09	2/3 yard	(L) 3051-77	1/2 yard
(D) 3051-39	1/4 yard	(M) 3051-11	1/8 yard
(E) 3051-43	1/3 yard	(N) 3051-71	1/4 yard
(F) 3051-88	2/3 yard	(O) 3051-44	1/4 yard
(G) 3051-46	1/3 yard	(P) 3051-03	1 yard
(H) 3051-66	1/3 yard	Backing	
(I) 3051-67	1/4 yard	3051-91	4 1/4 yards

Additional Supplies Needed

Batting: 74" x 74"
Piecing & sewing thread
Quilting & sewing supplies

Quilts designed by: Megan Downer

Finished Quilt Size: 66" x 66"

* Includes Binding

Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3051-91 Brushstrokes – Raven), cut:

- (9) 2 ½" x WOF strips. Sew strips together end to end, with diagonal seams, and cut (6) 2 ½" x 52 ½" strips.
- (3) 8 ½" x WOF strips, sub-cut (33) 2 ½" x 8 ½" strips, (3) 2 ½" x 6 ½" strips and (3) 2 ½" x 4 ½" strips.
- (4) 3 ½" x WOF strips, sub-cut (72) 2" x 3 ½" strips.
- (7) 2" x WOF strips, sub-cut (144) 2" squares.
- (2) 2 ½" x WOF strips, sub-cut (17) 2 ½" squares.
- (1) 9 ¼" x WOF strip, sub-cut (1) 9 ¼" square and (1) 6 ½" square. Cut the 9 ¼" square across both diagonals to make (4) 9 ¼" triangles. *Note: You will only use (2) of the triangles.*
- (6) 3 ½" x WOF strips. Sew strips together end to end, with diagonal seams, and cut (4) 3 ½" x 54 ½" strips.
- (1) 4 ½" x WOF strip, sub-cut (1) 4 ½" square, (8) 1 ½" squares and (2) 1 ½" x 2 ½" strips.
- (1) 8 ½" x WOF strip, sub-cut (6) 1 ½" x 8 ½" strips, (2) 1 ½" x 7 ½" strips, (6) 1 ½" x 6 ½" strips, (2) 1 ½" x 5 ½" strips, (4) 1 ½" x 4 ½" strips and (2) 1 ½" x 3 ½" strips.
- (7) 2 ½" x WOF strips for the binding.

Fabric B (3051-33 Brushstrokes – Mushroom), cut:

- (1) 7 ½" x WOF strip, sub-cut (2) 1 ½" x 7 ½" strips, (2) 1 ½" x 6 ½" strips, (2) 1 ½" x 5 ½" strips, (2) 1 ½" x 4 ½" strips, (2) 1 ½" x 3 ½" strips, (9) 1 ½" x 2 ½" strips, (1) 2 ½" square, (1) 2 ½" x 4 ½" strip and (1) 2 ½" x 6 ½" strip.

Fabric C (3051-09 Brushstrokes – Pewter), cut:

- (1) 8 ½" x WOF strip, sub-cut (2) 1 ½" x 8 ½" strips, (4) 6 ½" squares, and (2) 1 ½" x 6 ½" strip.
- (3) 1 ½" x WOF strips. Sew strips together end to end, with diagonal seams, and cut (2) 1 ½" x 52 ½" strips.
- (3) 1 ½" x WOF strips. Sew strips together end to end, with diagonal seams, and cut (2) 1 ½" x 54 ½" strips.

Fabric D (3051-39 Brushstrokes – Bark), cut:

- (1) 6 ½" x WOF strip, sub-cut (1) 2 ½" x 6 ½" strip, (2) 1 ½" x 6 ½" strips, (1) 2 ½" x 4 ½" strip, (2) 1 ½" x 4 ½" strips, and (10) 2 ½" squares.

Fabric E (3051-43 Brushstrokes – Tangerine), cut:

- (1) 8 ½" x WOF strip, sub-cut (2) 2 ½" x 8 ½" strips, (2) 1 ½" x 6 ½" strips, (10) 1 ½" x 4 ½" strips and (2) 3 ⅞" squares.

Fabric F (3051-88 Brushstrokes – Crimson), cut:

- (1) 9 ¼" x WOF strip, sub-cut (1) 9 ¼" square, (2) 3 ⅞" squares and (2) 1 ½" x 2 ½" strips. Cut the 9 ¼" square across both diagonals to make (4) 9 ¼" triangles. *Note: You will only use (2) of the triangles.*
- (1) 8 ½" x WOF strip, sub-cut (2) 2 ½" x 8 ½" strips, (2) 1 ½" x 6 ½" strips, (1) 2 ½" x 6 ½" strip, (1) 2 ½" x 4 ½" strip and (12) 1 ½" x 4 ½" strips.
- (2) 2 ½" x WOF strips, sub-cut (22) 2 ½" squares.

Fabric G (3051-46 Brushstrokes – Sprout), cut:

- (1) 2 ⅞" x WOF strip, sub-cut (8) 2 ⅞" squares.
- (1) 4 ⅞" x WOF strip, sub-cut (1) 4 ⅞" square, (1) 3 ¾" square, (1) 3" square and (2) 1 ⅞" squares. Cut the 4 ⅞" square, the 3 ¾" square and the 3" square across (1) diagonal to make (2) 4 ⅞" triangles, (2) 3 ¾" triangles and (2) 3" triangles.

Cutting - Continued

Fabric H (3051-66 Brushstrokes – Kale), cut:

- (1) 2 $\frac{7}{8}$ " x WOF strip, sub-cut (8) 2 $\frac{7}{8}$ " squares.
- (1) 4 $\frac{7}{8}$ " x WOF strip, sub-cut (1) 4 $\frac{7}{8}$ " square, (1) 3 $\frac{3}{4}$ " square, (1) 3" square and (2) 1 $\frac{7}{8}$ " squares. Cut the 4 $\frac{7}{8}$ " square, the 3 $\frac{3}{4}$ " square and the 3" square across (1) diagonal to make (2) 4 $\frac{7}{8}$ " triangles, (2) 3 $\frac{3}{4}$ " triangles and (2) 3" triangles.

Fabric I (3051-67 Brushstrokes – Shamrock), cut:

- (1) 2 $\frac{1}{2}$ " x WOF strip, sub-cut (7) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " strips and (1) 2 $\frac{1}{2}$ " square.
- (1) 1 $\frac{1}{2}$ " x WOF strip, sub-cut (2) 1 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " strips and (2) 1 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " strips.

Fabric J (3051-058 Brushstrokes – Lotus Pink), cut:

- (1) 4 $\frac{7}{8}$ " x WOF strip, sub-cut (1) 4 $\frac{7}{8}$ " square, (2) 3 $\frac{7}{8}$ " squares, (1) 3 $\frac{3}{4}$ " square, (1) 3" square and (2) 1 $\frac{7}{8}$ " squares. Cut the 4 $\frac{7}{8}$ " square, the 3 $\frac{3}{4}$ " square and the 3" square across (1) diagonal to make (2) 4 $\frac{7}{8}$ " triangles, (2) 3 $\frac{3}{4}$ " triangles and (2) 3" triangles.
- (1) 2 $\frac{1}{2}$ " x WOF strip, sub-cut (8) 2 $\frac{1}{2}$ " squares.

Fabric K (3051-55 Brushstrokes – Mulberry), cut:

- (1) 4 $\frac{7}{8}$ " x WOF strip, sub-cut (1) 4 $\frac{7}{8}$ " square, (2) 3 $\frac{7}{8}$ " squares, (1) 3 $\frac{3}{4}$ " square, (1) 3" square and (8) 2 $\frac{1}{2}$ " squares. Cut the 4 $\frac{7}{8}$ " square, the 3 $\frac{3}{4}$ " square and the 3" square across (1) diagonal to make (2) 4 $\frac{7}{8}$ " triangles, (2) 3 $\frac{3}{4}$ " triangles and (2) 3" triangles.
- (1) 6 $\frac{1}{2}$ " x WOF strip, sub-cut (4) 1 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " strips, (4) 1 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " strips, (8) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " strips and (2) 1 $\frac{7}{8}$ " squares.

Fabric L (3051-77 Brushstrokes – Indigo), cut:

- (1) 6 $\frac{1}{2}$ " x WOF strip, sub-cut (1) 6 $\frac{1}{2}$ " square and (2) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " strips.
- (1) 2 $\frac{1}{2}$ " x WOF strip, sub-cut (13) 2 $\frac{1}{2}$ " squares.

Fabric M (3051-11 Brushstrokes – Horizon Blue), cut:

- (1) 1 $\frac{1}{2}$ " x WOF strip, sub-cut (7) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " strips.

Fabric N (3051-71 Brushstrokes – Bahama Blue), cut:

- (1) 1 $\frac{1}{2}$ " x WOF strip, sub-cut (7) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " strips.
- (1) 2 $\frac{1}{2}$ " x WOF strip, sub-cut (2) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " strips and (4) 2 $\frac{1}{2}$ " squares.

Fabric O (3051-44 Brushstrokes – Gold), cut:

- (1) 4 $\frac{1}{2}$ " x WOF strip, sub-cut (1) 4 $\frac{1}{2}$ " square, (4) 1 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " strips and (4) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " strips.
- (1) 1 $\frac{1}{2}$ " x WOF strip, sub-cut (2) 1 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " strips and (2) 1 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " strips.

Fabric P (3051-03 Brushstrokes – Parchment), cut:

- (7) 2" x WOF strips, sub-cut (144) 2" squares.
- (6) 2" x WOF strips, sub-cut (72) 2" x 3 $\frac{1}{2}$ " strips.

Backing (3051-91 Brushstrokes – Raven), cut:


- (2) 74" x WOF strips. Sew the strips together and trim to 74" x 74" for the back.

Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

1. Sew (1) $2\frac{1}{2}$ " Fabric A square to the left side of (1) $2\frac{1}{2}$ " Fabric D square. Sew (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric A strip to the top of the AD strip to make (1) ADA unit (Fig. 1).
2. Sew (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric D strip to the left side of the ADA unit. Sew (1) $2\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric D strip to the top of the ADA unit (Fig. 2).
3. Sew (1) $2\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric A strip to the left side of the ADA unit. Sew (1) $2\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric A strip to the top of the ADA unit to make (1) AD block (Fig. 3).
4. Repeat Steps 1-3 using Fabric A and Fabric B strips to make (1) AB block (Fig. 4).
5. Repeat Steps 1-3 using Fabric A and Fabric F strips to make (1) AF block (Fig. 5).




6. Place (1) $3\frac{7}{8}$ " Fabric E square on top of (1) $3\frac{7}{8}$ " Fabric F square, right sides together. Draw a line across the diagonal of the top square (Fig. 6). Sew $\frac{1}{4}$ " away from each side of the drawn diagonal line (Fig. 6). Cut the two squares apart on the drawn diagonal line (Fig. 7) to make (2) FE units (Fig. 8). Trim the FE units to measure $3\frac{1}{2}$ " square. Repeat to make (4) FE units total.

7. Sew (4) FE units together to make (1) FE square (Fig. 9).


8. Sew (1) $1\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric C strip to each side of the FE square. Sew (1) $1\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric C strip to the top and to the bottom of the FE square to make (1) FEC block (Fig. 10).

9. Repeat Steps 6-8 using (2) $3\frac{7}{8}$ " Fabric J squares, (2) $3\frac{7}{8}$ " Fabric K squares, (2) $1\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric A strips and (2) $1\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric A strips to make (1) JK block (Fig. 11).



10. Repeat Step 6 using (8) $2\frac{7}{8}$ " Fabric G squares and (8) $2\frac{7}{8}$ " Fabric H squares to make (16) $2\frac{1}{2}$ " GH units (Fig. 12).

11. Sew (16) GH units together into a four by four matrix to make (1) GH block (Fig. 13).



12. Sew (12) 2 ½" Fabric F squares and (4) 2 ½" Fabric A squares together into a four by four matrix with the Fabric A squares at the corners to make (1) FA block (Fig. 14).




Fig. 14




Fig. 15




Fig. 16

13. Sew (12) 2 ½" Fabric L squares and (4) 2 ½" Fabric N squares together into a four by four matrix with the Fabric N squares at the corners to make (1) NL block (Fig. 15).

14. Sew (2) 2 ½" Fabric K squares and (2) 2 ½" Fabric J squares together, alternating them, to make (1) strip. Repeat to make (4) strips total. Sew the (4) strips together to make (1) KJ block (Fig. 16).

15. Sew (2) 1 ½" x 4 ½" Fabric E strips and (2) 1 ½" x 4 ½" Fabric F strips together lengthwise, alternating them, to make (1) FE unit (Fig. 17). Repeat to make (4) FE units total.




Fig. 17




Fig. 18

16. Sew the (4) FE units together to make (1) FE block (Fig. 18). Pay attention to the orientation of the FE units.

17. Sew (2) 9 ¼" Fabric A triangles and (2) 9 ¼" Fabric F triangles together to make (1) FA square (Fig. 19).



Fig. 19

18. Sew (2) 1 ⅞" Fabric K squares and (2) 1 ⅞" Fabric J squares together to make (1) KJ unit (Fig. 20).

19. Sew (1) Fabric J 3" triangle to opposite sides of the KJ unit. Sew (1) Fabric K 3" triangle to the other sides of the KJ unit (Fig. 21). Square to 4 ½".



Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24

20. Sew (1) 3 ¾" Fabric J triangle to opposite sides of the KJ unit. Sew (1) 3 ¾" Fabric K triangle to the other sides of the KJ unit (Fig. 22). Square to 6 ⅛".

21. Sew (1) 4 ⅞" Fabric J triangle to opposite sides of the KJ unit. Sew (1) 4 ⅞" Fabric K triangle to the other sides of the KJ unit to make (1) JK pinwheel block (Fig. 23). Square to 8 ½".

22. Repeat Steps 18-21 using 1 ⅞" Fabric G and H squares, 3" Fabric G and H triangles; 3 ¾" Fabric G and H triangles; and 4 ⅞" Fabric G and H triangles to make (1) HG pinwheel block (Fig. 24).

23. Follow Figure 25 and sew (7) 1 ½" x 2 ½" Fabric B strips, (7) 1 ½" x 2 ½" Fabric I strips and (1) 6 ½" Fabric A square together to make (1) ABI block.

24. Repeat Step 23 using 1 ½" x 2 ½" Fabric M and Fabric N strips and (1) 6 ½" Fabric L square to make (1) LMN block (Fig. 26).

25. Follow Figure 27 and sew 2 ½" Fabric L square, (8) 2 ½" Fabric D squares, (2) 1 ½" x 2 ½" Fabric F strips, (2) 1 ½" x 4 ½" Fabric F strips and (8) 1 ½" x 2 ½" Fabric K strips together to make (1) DL-block.




Fig. 25




Fig. 26




Fig. 27

26. Sew (1) 1 ½" x 2 ½" Fabric B strip to the top of (1) 2 ½" Fabric A square. Sew (1) 1 ½" x 3 ½" Fabric B strip to the left side of the Fabric A square to make (1) AB unit (Fig. 28).

27. Sew (1) 1 ½" x 3 ½" Fabric A strip to the top of the AB unit. Sew 1 ½" x 4 ½" Fabric A strip to the left side of the AB unit (Fig. 29).

28. Sew (1) 1 ½" x 4 ½" Fabric B strip to the top of the AB unit. Sew 1 ½" x 5 ½" Fabric B strip to the left side of the AB unit (Fig. 30).

29. Sew (1) 1 ½" x 5 ½" Fabric A strip to the top of the AB unit. Sew 1 ½" x 6 ½" Fabric A strip to the left side of the AB unit (Fig. 31).

30. Sew (1) 1 ½" x 6 ½" Fabric B strip to the top of the AB unit. Sew 1 ½" x 7 ½" Fabric B strip to the left side of the AB unit (Fig. 32).

31. Sew (1) 1 ½" x 7 ½" Fabric A strip to the top of the AB unit. Sew 1 ½" x 8 ½" Fabric A strip to the left side of the AB unit to make (1) BA block. (Fig. 33).

32. Repeat Steps 27-31 to make a second BA block.



Fig. 28



Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33

make 2

33. Place (1) 2 ½" Fabric A square on the top left corner of (1) 4 ½" Fabric O square, right sides together (Fig. 34). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 34). Flip open the triangle formed and press (Fig. 35). Trim away the excess fabric from behind the triangle ¼" away from the sewn seam.

34. Follow Figure 36 for the seam direction to add a 2 ½" Fabric A square to each of the remaining corners of the 4 ½" Fabric O square to make (1) O block (Fig. 37).

35. Sew (8) 2 ½" Fabric F squares, (4) 2 ½" Fabric A squares and (1) O block together to make (1) FO block (Fig. 38).



Fig. 34



Fig. 35



Fig. 36



Fig. 37




Fig. 38

36. Sew (2) 2 ½" x 8 ½" Fabric N strips and (2) 2 ½" x 8 ½" Fabric L strips together lengthwise, alternating them, to make (1) N block (Fig. 39).



Fig. 39

37. Sew (2) 2 ½" x 8 ½" Fabric F strips and (2) 2 ½" x 8 ½" Fabric E strips together lengthwise, alternating them, to make (1) EF block (Fig. 40).



Fig. 40

38. Sew (1) 1 ½" x 4 ½" Fabric K strip to each side of (1) 4 ½" Fabric A square. Sew (1) 1 ½" Fabric A squares to each end of (1) 1 ½" x 4 ½" Fabric K strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Fabric A square to make (1) KA unit (Fig. 41).




Fig. 41




Fig. 42

39. Sew (1) 1 ½" x 6 ½" Fabric K strip to each side of (1) KA unit. Sew (1) 1 ½" Fabric A squares to each end of (1) 1 ½" x 6 ½" Fabric K strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the KA unit to make (1) KA block (Fig. 42).

40. Sew (1) 1 ½" x 2 ½" Fabric A strip to the top and to the bottom of (1) 2 ½" Fabric D square. Sew (1) 1 ½" x 4 ½" Fabric D strip to each side of the Fabric D square to make (1) DA unit (Fig. 43).

41. Sew (1) 1 ½" x 4 ½" Fabric A strip to the top and to the bottom of the DA unit. Sew (1) 1 ½" x 6 ½" Fabric D strip to each side of the DA unit (Fig. 44).

42. Sew (1) 1 ½" x 6 ½" Fabric A strip to the top and to the bottom of the DA unit. Sew (1) 1 ½" x 8 ½" Fabric A strip to each side of the DA unit to make (1) D block (Fig. 45).



Fig. 43




Fig. 44





Fig. 45

43. Sew (1) 1 ½" x 2 ½" Fabric O strip to each side of (1) 2 ½" Fabric F square. Sew one 1 ½" x 4 ½" Fabric O strip to the top and to the bottom of the Fabric F square to make (1) OF unit (Fig. 46).

44. Sew (1) 1 ½" x 4 ½" Fabric F strip to each side of the OF unit. Sew (1) 1 ½" x 6 ½" Fabric F strip to the top and to the bottom of the OF unit (Fig. 47).

45. Sew (1) 1 ½" x 6 ½" Fabric O strip to each side of the OF unit. Sew (1) 1 ½" x 8 ½" Fabric O strip to the top and to the bottom of the OF unit to make (1) OF block (Fig. 48).

46. Repeat Steps 43-45 using (1) 2 ½" Fabric I square, (2) 1 ½" x 2 ½" Fabric O strips, (2) 1 ½" x 4 ½" Fabric O strips, (2) 1 ½" x 4 ½" Fabric E strips, (2) 1 ½" x 6 ½" Fabric E strips, (2) 1 ½" x 6 ½" Fabric I strips and (2) 1 ½" x 8 ½" Fabric I strips to make (1) IEO block (Fig. 49).




47. Place (1) 2" Fabric A square on the left side of (1) 2" x 3 ½" Fabric P strip, right sides together (Fig. 50). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 50). Flip open the triangle formed and press (Fig. 51). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.

48. Place another 2" Fabric A square on the right side of the 2" x 3 ½" Fabric P strip, right sides together (Fig. 52). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 52). Flip open the triangle formed and press (Fig. 53). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) APA unit.

49. Repeat Steps 47-48 to make (72) APA units total.

50. Repeat Steps 47-48 using (72) 2" x 3 ½" Fabric A strips and (144) 2" Fabric P squares to make (72) PAP units (Fig. 54).

51. Sew (1) PAP unit and APA unit together lengthwise to make (1) PAP block (Fig. 55). Repeat to make (72) PAP blocks total.



52. Sew (18) PAP blocks together to make (1) PAP strip (Fig. 56). Repeat to make (4) PAP strips total.




Fig. 56

make 4

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

53. Sew (6) 2 ½" x 8 ½" Fabric A strips and (5) assorted blocks together, alternating them, to make (1) row. Repeat to make (5) rows total.

54. Sew (6) 2 ½" x 52 ½" Fabric A strips and the (5) rows together, alternating them, to make the quilt top.

55. Sew (1) 1 ½" x 52 ½" Fabric C strip to each side of the quilt top. Sew (1) 1 ½" x 54 ½" Fabric C strip to the top and to the bottom of the quilt top.

56. Sew (1) PAP and (1) 3 ½" x 54 ½" Fabric A strip together lengthwise to make (1) strip. Repeat to make (4) strips. Sew (1) strip to each side of the quilt top. Sew (1) 6 ½" Fabric C square to each end of the remaining (2) strips. Sew the resulting strips to the top and to the bottom of the quilt top.


Layering, Quilting and Finishing

57. Press the quilt top and 74" x 74" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

58. Cut the ends of the (7) Fabric A binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

59. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout