
Wall Quilt 40" x 68 3/4"



Wilmington Prints: A World of Possibilities

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following for Wall Quilt:

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 21-1/4" x 42"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 5-5/8"x 65" multi-stripe borders, (2) 5-5/8" x 44" multi-stripe borders, and (2) 4-1/2" x 40-1/2" word stripe borders [1 with "FALL" centered in border, 1 border with 2 "FALL"s evenly spaced]

Fabric C - Cut (6) 2-1/2" strips (binding)

Fabric D - Cut (3) 3-1/2" strips, sewn together end to end and cut into (2) 3-1/2" x 45" and (1) 3-1/2" x 30-1/4" borders Cut (1) 3-1/2" strip, subcut (1) 3-1/2" x 30-1/4" border

Fabric E - Cut (4) 2-1/2" strips, subcut (2) 2-1/2" x 27" borders


2. Piecing Order for Wall Quilt:

- Refer to Quilt Layout (Page 2) for arrangement and placement of panel, strips, and borders.
- Stitch Fabric E 2-1/2" x width of fabric strips to sides of the Fabric A panel. Trim strip ends even. Add 2-1/2" x 27" Fabric E strips to top and bottom of panel. Trim bordered panel to 24-1/4" x 45" (unfinished).
- Sew Fabric D 3-1/2" x 45" borders to right and left sides of bordered panel. Add Fabric D 3-1/2" x 30-1/4" borders to top and bottom of bordered panel.

Center Fabric B 5-5/8"x 65" borders on right and left sides of quilt center and Fabric B 5-5/8"x 44" borders on top and bottom of quilt center with the dark stripe next to quilt center. Stitch borders to 1/4" sides starting and stopping detail 1/4" from corners of quilt center. Do not trim. Press borders out. 8 Quilt \rightarrow Center

Letters in italics indicate wrong side of fabric.

5. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.




- Sew Fabric B 4-1/2" x 40-1/2" borders to top and bottom of quilt.
- 7. The wall quilt measures approximately 40-1/2" x 69-1/4" (unfinished). Make backing (**Fabric O**) approximately 8" larger than the top.
- Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (Fabric C) and enjoy!!

WALL QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.



3. Cut the following for Throw Quilt:

Fabric B - Referring to the guilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 4-1/2" x 58" and (2) 4-1/2" x 46" word borders, each with 2 "FALL"s evenly spaced in length

Fabric C - Cut (5) 2-1/2" strips, subcut (68) 2-1/2" squares

Fabric D - Cut (4) 2-7/8" strips, subcut (56) 2-7/8" squares then cut in half diagonally for 112 triangles Cut (1) 2-1/2" strip, subcut (16) 2-1/2" squares Cut (2) 2" strips, subcut (32) 2" squares

Fabric E - Cut (2) 2-7/8" strips, subcut (24) 2-7/8" squares then cut in half diagonally as shown for 48 triangles Cut (3) 2-1/2" strips, subcut (48) 2-1/2" squares Cut (7) 2-1/2" strips (binding)

Fabric F - Cut (1) 4-1/2" strip, subcut (4) 4-1/2" squares and (4) 2-7/8" squares Cut (2) 2-7/8" strips, subcut (28) 2-7/8" squares then cut all 2-7/8" squares in half diagonally for 64 triangles Cut (3) 2-1/2" strips, subcut (48) 2-1/2" squares

Fabric G - Cut (3) 2-1/2" strips, subcut (36) 2-1/2" squares

Fabric H - Cut (3) 6-1/2" strips, subcut (13) 6-1/2" squares

Fabric I - Cut (2) 2-1/2" strips, subcut (22) 2-1/2" squares

Fabric J - Cut (2) 2-1/2" strips, subcut (32) 2-1/2" squares

Fabric K - Cut (3) 2-1/2" strips, subcut (48) 2-1/2" squares

Fabric L - Cut (4) 2-1/2" strips, subcut (56) 2-1/2" squares

Fabric M - Cut (1) 2-1/2" strip, subcut (16) 2-1/2" squares Cut (5) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2"x 58" and (2) 1-1/2" x 46" strips for flat piping

Fabric N - Cut (5) 2-1/4" strips, sewn together end to end and cut into (2) 2-1/4"x 54-1/2" and (2) 2-1/4" x 46" borders

4. Piecing Order for Throw Quilt:

 Sew 1 each Fabrics D and F 2-7/8" triangles as shown. Make a total of 64 Unit 1a (2-1/2" square unfinished). In the same manner, make 48 Unit





Make 64 Make 48

1b with Fabrics D and E 2-7/8" triangles.

Draw a diagonal line across the wrong side of 32 Fabric D 2", 4 Fabric E 2-1/2", and 48 Fabric K 2-1/2" squares as shown.





Letters in italics indicate wrong side of fabric.

Arrange a marked Fabric D 2"square on corner of a Fabric M 2-1/2" square as shown. Stitch along the marked line. Trim seam allowance to 1/4". Press triangle out, Repeat on opposite corner. Make a total of 16 Unit 2 (2-1/2" square unfinished).













Arrange 4 Unit 1a, 1 Unit 2, 1 Fabric D 2-1/2" square, and 3 Fabric F 2-1/2" squares in 3 rows. Sew into rows. Sew rows together. Make a total of 16 Block 1 (6-1/2" square unfinished).



Block 1 - Make 16

Arrange 4 Unit 1b, 2 Fabric E 2-1/2" squares, and 3 Fabric G 2-1/2" squares in 3 rows. Sew into rows. Sew rows together. Make a total of 12 Block 2 (6-1/2" square unfinished).



Block 2 - Make 12

Arrange 1 Fabric I, 2 Fabric E,
 Fabric C, and 4 Fabric L 2-1/2" squares in 3 rows as shown. Sew into rows. Sew rows together.
 Make a total of 2 Block 3a (2-1/2" square unfinished).



 In the same manner, make the number of Blocks 3b-3d using 2-1/2" squares indicated.








Block 3b - Make 12

Block 3c - Make 4

Block 3d - Make 4

8. Arrange 4 marked Fabric K
2-1/2" squares right sides
together on a Fabric H 6-1/2"
square as shown. Stitch along
marked lines. Trim seam
allowances to 1/4". Press
triangles out. Make a total of
12 Block 4a (6-1/2" square
unfinished. In the same
manner, make 1 Block 4b
with 4 marked Fabric E
2-1/2" squares and 1
Fabric H 6-1/2" square.



F E Block 4b- Make 1

Arrows indicate orientation of directional prints.


- Refer to Throw Quilt Layout (Page 5) for arrangement and placement of blocks, strips, squares, and borders.
- Arrange blocks in 9 rows. Stitch blocks into rows. Sew rows together into quilt center (42-1/2" x 54-1/2" unfinished).
- 11. Stitch **Fabric N** 2-1/4" x 54-1/2" borders to right and left sides of quilt center. Add **Fabric N** 2-1/4" x 46" borders to top and bottom of quilt center.

- 12. Fold **Fabric M** 1-1/2" x 58" and 1-1/2" x 46" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.
- 13. Baste 3/4" x 58" **Fabric M** flat piping strips on top of sides of quilt, with raw edges even with raw edges of **Fabric N** border. Baste 3/4" x 46" **Fabric M** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric N** border.
- 14. Stitch Fabric B 4-1/2"x 58" borders to right and left sides of quilt. Press seams toward Fabric B borders so Fabric M piping lays on the Fabric N borders. Sew Fabric F 4-1/2" squares to both ends of each Fabric B 4-1/2" x 46" borders then add to top and bottom of quilt. Press seams toward Fabric B borders so Fabric M piping lays on the Fabric N borders.
- The quilt measures approximately 54" x 66" (unfinished). Make backing (Fabric O) approximately 8" larger than the top.
- 16. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (Fabric E) and enjoy!!

THROW QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.



01031 Colors of Fall by Stephanie Marrott



A Q1031-84410-238 (24" x 43" Panel) W: 2/3 yard (1 panel)

Q1031-84411-284 (24" Repeat)

W: 2-1/8 yards T: 2-1/4 yards

W: Wall Quilt T: Throw Quilt



Q1031-84415-238 W: 5/8 yard (Binding only)

1/2 yard



Q1031-84415-428

W: 1/2 yard 5/8 yard



Q1031-84416-478

W: 3/8 yard T: 1-1/4 yards (Incl. Binding)



Q1031-84413-137

T: 5/8 yard



Q1031-84413-237 G

T: 1/3 yard



Q1031-84412-787

T: 2/3 yard



Q1031-84414-587

1/4 yard



Q1031-84414-837

1/4 yard



Q1031-84417-229

T: 1/3 yard



Q1031-84417-339

T: 3/8 yard

Sonoma Solids

Q1343-0277 M

T: 3/8 yard

Sonoma Solids

Q1343-0347

1/2 yard



Q1031-84417-112

W: 2-7/8 yards (Backing only)

T: 3-5/8 yards (Backing only)

