




## Box Trot Quilt (Q-003)



### Fabric requirements




Fabric A  
214-0001 White  
7/8 yard



Fabric B  
2241505 #1  
3/8 yard



Fabric C  
2241502 #2  
1/4 yard



Fabric D  
2241504 #2  
1/4 yard



Fabric E  
2241506 #2  
1/4 yard



Fabric F  
2241501 #1  
1/4 yard



Fabric G  
2241506 #1  
1/4 yard



Fabric H  
2241504 #1  
1/4 yard



Fabric I  
2241503 #3  
1/4 yard



Fabric J  
2241501 #2  
1/4 yard



Fabric K  
2241506 #3  
1/4 yard



Fabric L  
2241503 #1  
1/4 yard



Fabric M (Binding)  
214-0015 Marina  
3/8 yard



Fabric N  
2241502 #1  
1/4 yard



Fabric O (Backing)  
2143-0015  
Woven in Marina  
2-7/8 yards

Exclusive Quilt Design by Chris Hoover of Whirligig Designs for Camelot Fabrics  
Fabric collection: Do What you Love by Alisse Courter for Camelot Fabrics  
The direction of the fabrics in the digital imagery may not be accurate to the final product.

Whirligig Designs



Blog, Facebook, Twitter @CamelotFabrics  
Pinterest, YouTube & Instagram @Camelot\_Fabrics  
camelotfabrics.com • camelotfabricsblog.com  
Toll-Free: 1-800-361-4120 • 514-382-2400  
info@camelotfabrics.com • www.camelotfabrics.com

Finished Quilt Size: 44" x 51"

## OTHER TOOLS & SUPPLIES

- sewing machine
- needle & coordinating thread
- iron and pressing surface
- rotary cutter and mat
- straight pins
- ruler

## NOTES

1. Please wash, dry & iron your fabrics before beginning, and trim selvages.
2. For best results, read all directions before beginning.
3. Unless otherwise noted, use a 1/4" seam allowance (SA)
4. Unless otherwise noted, press all seams open.

WOF = Width of Fabric

## CUTTING

Fabric A:

Cut 13 – 2" strips WOF for sashing.

From 10 strips, cut 10 – 2" x 41 1/2" rectangles.

Fabric B:

Cut 12 – 1" strips WOF.

From strips, cut 26 – 1" x 6 1/2" rectangles, 46 – 1" x 4 1/2" rectangles and 20 – 1" x 3 1/2" rectangles.

Fabric C, Fabric E, Fabric F, Fabric H and Fabric J:

From each fabric, cut 1 – 4 1/2" strip WOF.

From each strip, cut 2 – 4 1/2" x 13 1/2" rectangles and 1 – 4 1/2" x 7 1/2" rectangle. You will have extras.

Fabric D:

Cut 1 – 4 1/2" strip WOF.

From strip, cut 2 – 4 1/2" x 13 1/2" rectangles.

Fabric G:

Cut 1 – 4 1/2" strip WOF.

From strip, cut 1 – 4 1/2" x 13 1/2" rectangle and 1 – 4 1/2" x 7 1/2" rectangle.

Fabric I:

Cut 1 – 4 1/2" strip WOF.

From strip, cut 1 – 4 1/2" x 13 1/2" rectangle and 2 – 4 1/2" x 7 1/2" rectangles. You will have extras.

Fabric K:

Cut 1 – 3 1/2" strip WOF.

From strip, cut 4 – 3 1/2" squares and 3 – 3 1/2" x 6 1/2" rectangles.

Fabric L:

Cut 1 – 3 1/2" strip WOF.

From strip, cut 6 – 3 1/2" squares and 2 – 3 1/2" x 6 1/2" rectangles.

Fabric M:

Cut 5 – 2 1/4" strips WOF for binding.


Fabric N:

Cut 2 – 3 1/2" strips WOF.

From strips, cut 8 – 3 1/2" x 6 1/2" rectangles.



## PIECING



Fabric K - Make (4)  
Fabric L - Make (6)

1. For 3 1/2" Fabric K and Fabric L squares:  
Sew two 1" x 3 1/2" Fabric B rectangles to the top and bottom of a Fabric K square. Sew two 1" x 4 1/2" Fabric B rectangles to the remaining two sides of the Fabric K square; Make 4.  
Repeat process for Fabric L squares; Make 6.


2. For 3 1/2" x 6 1/2" Fabric K, Fabric L and Fabric N rectangles:  
Sew two 1" x 6 1/2" Fabric B rectangles to the top and bottom of the fabric K rectangle. Sew two 1" x 4 1/2" Fabric B rectangles to the remaining two sides of the fabric K rectangle; Make 3. Repeat process for Fabric L rectangles; Make 2. Repeat process for Fabric N rectangles; Make 8.



Fabric K - Make (3)  
Fabric L - Make (2)  
Fabric N - Make (8)

## ASSEMBLY

3. Arrange squares and rectangles from last 2 steps, referring to the arrangement below or the quilt illustration on the cover page. Sew together into rows.
4. Sew a Fabric A sashing strip between each row, as shown below.
5. Sew a Fabric A sashing strip to the top & one to the bottom.



6. Sew the 3 remaining 2" Fabric A strips together end to end. Cut 2 - 2" x 51 1/2" rectangles and sew to sides of quilt center.

7. Layer quilt top with batting and backing. Baste and quilt as desired.

8. Sew the Fabric M binding strips together end to end and press seams open. Bind the quilt using your favorite method.

