

Sunset Blooms by Anne Rowan

Panel Throw: 50 1/4" x 57 1/2"



Sunset Blooms *by Anne Rowan*

Table Topper: 47" sq



Sunset Blooms


Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following for Throw:

Refer to thumbnails on pattern cover for Fabrics A-I used in this design.

Fabric A - Trim panel to 20-1/4" x 38-3/4" with floral design centered. Subcut into (15) 6-3/4" wide x 7-3/4" tall pieces noting their placement in relation to each other

Fabric B - Cut (1) 9-1/4" strip, subcut (1) 9-1/4" square then cut in half diagonally twice  for 4 triangles
Cut (16) Fan Blades with template



Fabric C - Cut (5) 4" strips, sewn together end to end and cut into (2) 4" x 51" and (2) 4" x 50-3/4" borders

Fabric D - Cut (1) 4" strip, subcut (1) 4" x 25-1/4" border
Cut (1) 3-3/4" strip, subcut (1) 3-3/4" x 25-1/4" border
Cut (2) 2-1/4" strips, subcut (2) 2-1/4" x 41-3/4" borders
Cut (4) 1-3/4" strips, subcut into (10) 1-3/4" x 7-3/4" and (12) 1-3/4" x 6-3/4" strips

Fabric E - Cut (6) 2-1/2" strips (binding)
Cut (1) 1-3/4" strip, subcut (8) 1-3/4" squares
Cut (8) Bases with template

Fabric F - Cut (16) Fan Blades with template


Fabric G - Cut (5) 1-3/4" strips, subcut (2) 1-3/4" x 48-1/2" and (2) 1-3/4" x 43-3/4" borders

Fabric H - Cut (1) 9-1/4" strip, subcut (2) 9-1/4" squares [then cut in half diagonally twice  for 8 triangles] and (2) 8-7/8" squares [then cut in half diagonally only as shown for 4 triangles] 
Cut (2) 8-1/2" strips, subcut (8) 8-1/2" squares and (4) 2-1/2" squares


2. Piecing Order for Throw:

1. Fold a **Fabric B** fan blade in half lengthwise, right sides together. Stitch 1/4" across the top edge. Finger press the seam open. Turn right side out and press the top flat as shown. Repeat with remaining **Fabrics B** and **F** fan blades.

Prepare 16 each **Fabrics B** and **F** fan blades




2. Arrange 2 each **Fabrics B** and **F** fan blades in the order shown. Stitch together. Press seams open. Make a total of 8 sets of fan blades.




3. On each **Fabric E** base piece sew a basting stitch, a scant 1/4" from the curved edge. Press curved edge 1/4" to wrong side of each, using the basting stitches to form a smooth curve. The basting stitches should be on the back of the base piece.



4. Place 1 fan and 1 base on a **Fabric H** 8-1/2" square as shown, with the base overlapping the fan. Hand, or machine, stitch the fan points to the square. Hand, or machine, stitch the curved edge of the base to the fan. Baste raw edges of fan and base to square about 1/8" from edge. Make a total of 4 **Block 1a** and 4 **Block 1b** (8-1/2" square unfinished).



Block 1a - Make 4



Block 1b - Make 4

Sunset Blooms

5. Draw a diagonal line across the wrong side of a **Fabric H** 2-1/2" square only as shown.



6. Arrange a marked **Fabric H** 2-1/2" square right sides together on a **Fabric B** 9-1/4" triangle as shown. Stitch along marked line. Trim seam allowance to 1/4". Press triangle out. Make a total of 4 Units (9-1/4" x 6-1/2" x 6-1/2" unfinished).



Letters in italics indicate wrong side of fabric.

7. Stitch a **Fabric H** 9-1/4" triangle to the unit as shown. Add a **Fabric H** 8-7/8" triangle as shown. Make a total of 4 **Block 2** (8-1/2" square unfinished).



8. Refer to Quilt Layout (Page 3) for arrangement and placement of blocks, **Fabric A** panel pieces, strips, squares, and borders.

9. Arrange **Fabric A** panel pieces, **Fabric D** 1-3/4" x 7-3/4" strips, **Fabric D** 1-3/4" x 6-3/4" strips, and **Fabric E** 1-3/4" squares in 9 rows. Stitch into rows. Sew rows together into panel section (21-3/4" x 41-3/4" unfinished).

10. Sew **Fabric D** 2-1/4" x 41-3/4" borders to right and left sides of panel section. Add **Fabric D** 3-3/4" x 25-1/4" border to top and **Fabric D** 4" x 25-1/4" border to bottom of panel section. Quilt center measures 25-1/4" x 48-1/2" (unfinished).

11. Arrange 2 each **Blocks 1a**, **1b**, and **2** in vertical rows on each side of quilt center. Sew into vertical rows (8-1/2" x 48-1/2" unfinished). Stitch rows to right and left sides of quilt center.

12. Sew **Fabric G** 1-3/4" x 48-1/2" borders to right and left sides of quilt. Add **Fabric G** 1-3/4" x 43-3/4" borders to top and bottom of quilt.

13. Sew **Fabric C** 4" x 51" borders to right and left sides of quilt. Add **Fabric C** 4" x 50-3/4" borders to top and bottom of quilt.

14. The quilt measures approximately 50-3/4" x 58" (unfinished). Make backing (**Fabric I**) approximately 8" larger than the top.

15. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

3. Cut the following for Topper:

Refer to thumbnails on pattern cover for Fabrics A-H used in this design.

Fabric A - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (4) 7" x 51" floral stripe borders

Fabric B - Cut (1) 10-1/4" strip, subcut (1) 10-1/4" square [then cut in half diagonally twice for 4 triangles], (4) 5" squares, (2) 3-7/8" squares [then cut in half diagonally for 4 triangles], (4) 2" x 8" strips, and (4) 2" x 6-1/2" strips

Fabric C - Cut (1) 10-1/4" strip, subcut (2) 10-1/4" squares [then cut in half diagonally twice for 8 triangles], (1) 9-1/2" square, (4) 2" x 5" strips, and (4) 2" x 3-1/2" strips

Fabric D - Cut (4) 2-1/2" strips, subcut (2) 2-1/2" x 31-1/2" and (2) 2-1/2" x 27-1/2" borders
Cut (2) 2" strips, subcut into (4) 2" x 9-1/2" and (4) 2" x 8" strips

Fabric E - Cut (1) 3-7/8" strip, subcut (2) 3-7/8" squares [then cut in half diagonally for 4 triangles] and (16) 2" squares
Cut (4) 1-1/2" strips, subcut (4) 1-1/2" x 31-1/2" flat piping strips

Fabric F - Cut (1) 10-1/4" strip, subcut (1) 10-1/4" square [then cut in half diagonally twice for 4 triangles], (4) 2" x 6-1/2" strips, and (4) 2" x 5" strips

Fabric G - Cut (4) 2" strips, subcut (2) 2" x 34-1/2" and (2) 2" x 31-1/2" borders
Cut (6) 2-1/2" strips (binding)

Sunset Blooms

4. Piecing Order for Topper:

1. Draw a diagonal line across the wrong side of each 5" **Fabric B** square, 2 in one direction and 2 in the opposite direction.



Letters in *italics> indicate wrong side of fabric.*
Arrows indicate orientation of directional prints.


2. Arrange 2 marked **Fabric B** squares on opposite corners of the **Fabric C** 9-1/2" square as shown. Stitch along marked lines. Trim seams to 1/4". Press triangles out. Repeat on remaining corners. Press corners out to complete **Block 1** (9-1/2" square unfinished).

Diagrams on Page 4


THROW QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.




Sunset Blooms



Block 1 - Make 1

*Letters in italics indicate wrong side of fabric.
Arrows and stripes indicate orientation of directional prints.*

3. Arrange 2 **Fabric C** and 1 each **Fabrics B** and **F** 10-1/4" triangles as shown. Stitch together to make 1 each Blocks 2a-2d (9-1/2" square unfinished).



Block 2a - Make 1 Block 2b - Make 1 Block 2c - Make 1 Block 2d - Make 1

4. Sew 1 each **Fabrics B** and **E** 3-7/8" triangles together as shown. Make a total of 4 Unit 1 (3-1/2" square unfinished).




Unit 1
Make 4


5. Mark a diagonal line across the wrong side of 16 **Fabric E** 2" squares. Using the same sew and flip method as in Step 2, make 4 each Units 2-5 using marked **Fabric E** squares and the strips indicated.




Unit 2 - Make 4




Unit 3 - Make 4




Unit 4 - Make 4




Unit 5 - Make 4



Base
Template
2" square



1"
square



Fan Blade
Template
approximately
3-1/8" x 8-1/2"

*Please check size since printers may vary.
Enlarge or reduce on a copier as needed.*

Sunset Blooms

Arrows and stripes indicate orientation of directional prints.

6. Sew a **Fabric C** 2" x 3-1/2" strip to left side of a Unit 1 (U1) as shown. Add a **Fabric C** 2" x 5" strip to top, a Unit 2 to right side, then a Unit 3 to the bottom. Make a total of 4 Unit 6 (6-1/2" square unfinished).



7. Sew a **Fabric B** 2" x 6-1/2" strip to left side of a Unit 6 (U6) as shown. Add a **Fabric B** 2" x 8" strip to top, a Unit 4 to right side, then a Unit 5 to the bottom. Make a total of 4 **Block 3** (9-1/2" square unfinished).



8. Refer to Topper Layout (Page 6) for arrangement and placement of blocks, strips, and borders.

9. Arrange blocks in 3 rows. Stitch into rows. Sew rows together into quilt center (27-1/2" square unfinished).


10. Sew **Fabric D** 2-1/2" x 27-1/2" borders to right and left sides of quilt center. Add **Fabric D** 2-1/2" x 31-1/2" border to top bottom of quilt center.

11. Fold and press **Fabric E** 1-1/2" x 31-1/2" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.

12. Baste 3/4" x 31-1/2" **Fabric E** flat piping strips on top of sides of quilt, with raw edges even with raw edges of **Fabric D** border. Baste 3/4" x 31-1/2" **Fabric E** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric D** border.


13. Stitch **Fabric G** 2" x 31-1/2" borders to right and left sides of quilt. Press toward borders leaving flat piping over **Fabric D** borders. Add **Fabric G** 2" x 34-1/2" borders to top and bottom of quilt. Press toward borders leaving flat piping over **Fabric D** borders.

14. Center **Fabric A** 7" x 51" borders on all sides of quilt center with top edge next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.



Letters in italics indicate wrong side of fabric.

15. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.




16. The quilt measures approximately 47-1/2" square (unfinished). Make backing (**Fabric H**) approximately 8" larger than the top.

17. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric G**) and enjoy!!

Sunset Blooms

TOPPER LAYOUT

Border measurements are the cut size.
Arrows and stripes indicate orientation of directional prints.



Sunset Blooms *by Anne Rowan*

Panel Throw:



A Q3007-68429-953
(1 Panel - 2/3 yd.)




Fabric B
Q3007-68432-152
5/8 yd.



Fabric C
Q3007-68433-953
2/3 yd.



Fabric D
Q3007-68434-221
2/3 yd.



Fabric E
Q3007-68434-333
2/3 yd.
(incl. binding)



Fabric F
Q3007-68435-317
5/8 yd.



Fabric G
Q3007-68436-592
3/8 yd.



Fabric H
Q3007-68437-292
7/8 yd.



Fabric I
Q3007-68433-253
3 3/8 yds.
(backing only)

Sunset Blooms *by Anne Rowan*

Table Topper:



A Q3007-68431-935
1 2/3 yds.




Fabric B
Q3007-68432-952
1/2 yd.




Fabric C
Q3007-68433-953
1/2 yd.




Fabric D
Q3007-68434-221
1/2 yd.



Fabric E
Q3007-68434-333
3/8 yd.



Fabric F
Q3007-68437-292
1/2 yd.



Fabric G
Q3007-68437-929
7/8 yd. (Includes binding)



Fabric H
Q3007-68436-295
3 1/4 yds.

