Arctic Wonderland

by Hello Angel

Twin Size Quilt 64" x 84"





Small Throw Quilt 40" x 60"

Wilmington Prints:

A World of Possibilities



03000 Luctic Wonderland by Hello Angel



A1 Q3000-77610-493 T: 2/3 yard (1 Panel) S: 2/3 yard (1 Panel)



B1 Q3000-77611-471 T: 1 7/8 yards S: 1 7/8 yards



C1 Q3000-77613-447 T: 1 1/8 yards



D1 Q3000-77613-747 T: 5/8 yard




E1 Q3000-77614-136 T: 1/2 yard



F1 Q3000-77615-946 T: 1 1/8 yards



G1 Q3000-77616-914 T: 7/8 yard



H1 Q3000-77617-447 T: 1 5/8 yards (incl. binding) S: 5/8 yard (binding only)



I1 Q3000-77618-967 T: 1 3/8 yards S: 7/8 yard

T- Twin Size Quilt S - Small Throw Quilt



J1 Q3000-77616-414 T: 5 1/4 yards S: 2 7/8 yards Backing Only







03000 Lictic Wonderland by Hello Lingel

Wall Hanging (Navy) 63" x 43"




Wall Hanging (White) 63" x 43"





Luctic Wonderland by Hello Lugel

Wall Hanging (Navy)



A2 Q3000-77611-471 1 3/4 yards




B2 Q3000-77612-467 2/3 yard



C2 Q3000-77614-136 1 1/4 yards (incl. binding)



D2 Q3000-77613-447 3/8 yard



E2 Q3000-77618-967 7/8 yard



F2 Q3000-77615-946 5/8 yard



G2 Q3000-77616-914 3/8 yard



H2 Q3000-77613-747 3 yards Backing Only

Wall Hanging (White)



A2 Q3000-77611-471 1 3/4 yards



B2 Q3000-77612-167 2/3 yard



C2 Q3000-77617-438 1 1/4 yards (incl. binding)



D2 Q3000-77616-414 3/8 yard



E2 Q3000-77616-914 7/8 yard



F2 Q3000-77614-436 5/8 yard



G2 Q3000-77618-135 3/8 yard



H2 Q3000-77613-447 3 yards (backing only)





Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following for Small Throw Quilt:

Fabric A1 - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly. Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42-1/2"

Fabric B1 - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 6" x 59" and (2) 6" x 40" blue stripe borders

Fabric H1 - Cut (6) 2-1/2" strips (binding)


Fabric I1 - Cut (2) 3" strips, subcut (2) 3" x 40-1/2" borders Cut (3) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 55-1/2" borders Cut (4) 2" strips, subcut (2) 2" x 27" borders

2. Piecing Order for Small Throw Quilt:

- Refer to Twin and Throw Quilt Layouts (Page 5) for arrangement and placement of panel and borders.
- 2. Stitch Fabric I1 2" strips to sides of the Fabric A1 panel. Trim strip ends even. Add 2"x 27" Fabric I1 strips to top and bottom of panel. Trim bordered panel to 25-1/2" x 44-1/2" (unfinished).
- 3. Center Fabric B1 6"x 59" borders on right and left sides of quilt center and Fabric B1 6"x 40" borders on top and bottom of quilt center with the bottom of stripe next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.

Letters in italics indicate wrong side of fabric.

4. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



- Stitch Fabric I1 2-1/2" x 55-1/2" borders to right and left sides of quilt. Add Fabric I1 3" x 40-1/2" borders to top and bottom of quilt.
- The throw quilt measures approximately 40-1/2" x 60-1/2" (unfinished). Make backing (Fabric J1) approximately 8" larger than the top.
- Layer and baste throw quilt top, batting, and backing together. Quilt as desired. Attach binding (Fabric H1) and enjoy!!

3. Cut the following for Twin Quilt:

Fabric A1 - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42-1/2"

Fabric B1 - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 6" x 59" and (2) 6" x 40" blue stripe borders

Fabric C1 - Cut (4) 5-7/8" strips, subcut (24) 5-7/8" squares (then cut in half diagonally for 48 triangles) and (2) 3" squares

Cut (3) 3" strips, subcut (42) 3" squares

Fabric D1 - Cut (1) 5-7/8" strip, subcut (2) 5-7/8" squares [then cut in half diagonally for 4 triangles] and (6) 3" squares

Cut (3) 3" strips, subcut (42) 3" squares

Fabric E1 - Cut (4) 3" strips, subcut (48) 3" squares

Fabric F1 - Cut (4) 5-7/8" strips, subcut (22) 5-7/8" squares [then cut in half diagonally only as shown for 44 triangles] and (6) 3" squares

Cut (3) 3" strips, subcut (42) 3" squares

Fabric G1 - Cut (4) 5-7/8" strips, subcut (24) 5-7/8" squares, then cut in half diagonally for 48 triangles

Fabric H1 - Cut (4) 5-7/8" strips, subcut (24) 5-7/8" squares [then cut in half diagonally only as shown for 48 triangles] and (4) 3" squares Cut (8) 2-1/2" strips (binding)

Fabric 11 - Cut (2) 3" strips, subcut (2) 3"x 40-1/2" borders

Cut (10) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2"x 80-1/2", (2) 2-1/2" x 64-1/2", and (2) 2-1/2" x 55-1/2" borders

Cut (4) 2" strips, subcut (2) 2"x 27" borders

4. Piecing Order for Twin Quilt:

- 1. Refer to Throw Quilt Steps 1-5 to make twin quilt center.
- Draw a diagonal line across the wrong side of all the Fabrics C1, D1, and E1 3" squares.
- Draw a diagonal line across the wrong side of all the Fabrics F1 and H1 3" squares as shown.





Stripes indicate orientation of stripe fabrics.

4. Sew 1 each Fabrics D1 and G1 5-7/8" triangles together along their long edges. Make a



Unit 1 b



Unit 1c Make 48 Make 44

total of 4 Unit 1a (5-1/2" square unfinished). In the same manner, make 48 Unit 1b and 44 Unit 1c with fabrics shown.

Place Fabric E1 and H1 3" squares on a Unit 1 as shown. Stitch along marked

lines. Trim seam allowances to 1/4". Press triangles out. Make a total of 4 Unit 2a (5-1/2"





Unit 2a Make 4

Make 48

Make 44

square unfinished). In the same manner, make 48 Unit 2b and 44 Unit 2c with fabrics shown.

Letters in italics indicate wrong side of fabric.

Arrange 2 Unit 2b and 1 each Units 2a and 2c in 2 rows as shown, Stitch into rows, Sew rows together. Make a total of 4 Block 1 (10-1/2" square unfinished).



Block 1 - Make 4

- 7. Arrange 2 each Units 2b and 2c in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 20 Block 2 (10-1/2" square unfinished).
- Upit 2 Unit 2c Unit 2
 - Block 2 Make 20
- 8. Refer to Twin and Throw Quilt Layouts (Page 5) for arrangement and placement of quilt center (throw quilt), blocks and borders.
- Arrange 6 Block 2 on each side of guilt center. Stitch into vertical rows (10-1/2" x 60-1/2" unfinished). Stitch to right and left sides of quilt center.
- 10. Arrange 2 Block 1 and 4 Block 2 each on top and bottom of guilt. Stitch into horizontal rows (10-1/2"x 60-1/2" unfinished). Stitch to top and bottom of quilt.

- 11. Stitch Fabric I1 2-1/2" x 80-1/2" borders to right and left sides of quilt. Add Fabric I1 2-1/2" x 64-1/2" borders to top and bottom of quilt.
- 12. The twin quilt measures approximately 64-1/2" x 84-1/2" (unfinished). Make backing (Fabric J1) approximately 8" larger than the top.
- 13. Layer and baste twin top, batting, and backing together. Quilt as desired. Attach binding (Fabric H1) and enjoy!!

5. Cut the following for Wall Quilt:

- Fabric A2 Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 3" x 54" and (2) 3" x 34" white stripe borders
- Fabric B2 Referring to the quilt image, fussy cut (2) 15-1/4" x 23-3/4" bear/penguin rectangles and (1) 12" x 23-3/4" fox rectangle
- (18) 5-7/8" squares then cut in half diagonally for 36 triangles Cut (6) 2-1/2" strips (binding)

 Whit Versi



Fabrics D2 and G2 - From each fabric: Cut (3) 3" strips, subcut (36) 3" squares

Fabric E2 - Cut (6) 2" strips, sewn together end to end and cut into (2) 2"x 63-1/2", (2) 2" x 47", and (1) 2" x 24" borders Cut (3) 2" strips, subcut (2) 2" x 40-1/2" and (1) 2" x 24" borders Cut (2) 1-1/2" strips, subcut (2) 1-1/2" x 24" strips

(18) 5-7/8" squares then cut in half diagonally for 36 triangles



Navy Version

Diagrams are shown for differences between white and navy versions of the quilt.

6. Piecing Order for Wall Quilt:

 Draw a diagonal line across the wrong side of all the Fabrics D2 and G2 3" squares.





2. Sew 1 each
Fabrics C2 and
F2 5-7/8" triangles
together along their
long edges. Make a

F2 C2 Unit 1 Make 3 6



total of 36 Unit 1 (5-1/2" square unfinished).

3. Place Fabric D2 and G2 3" squares on a Unit 1 as shown. Stitch along marked lines. Trim seam allowances to 1/4". Press triangles out. Make a total of 36 blocks (5-1/2" square

unfinished).

F2 F2 White Version



White Version D2 F2 G2




Make 36 Blocks Make 36 Blocks

- Refer to Wall Quilt Layout (Page 6) for arrangement and placement of rectangles, strips, blocks, and borders.
- 5. Stitch **Fabric E2** 1-1/2" x 24" strips to right and left sides of **Fabric B2** 12" x 23-3/4" rectangle. Trim strip ends even. Sew **Fabric B2** 15-1/4" x 23-3/4" rectangles to right and left sides of **Fabric E2** strips.
- 6. Stitch **Fabric E2** 2" x 24" borders to right and left sides of the **Fabric B2** rectangles. Trim strip ends even. Add 2" x 47" **Fabric E2** borders to top and bottom of rectangles. *Trim quilt center to 25-1/2" x 45-1/2" (unfinished)*.

Center Fabric A2 3" x 34" borders on right and left sides of quilt center and Fabric A2 3" x 54" borders on top and bottom of quilt center with top of stripe moving around quilt center in a clockwise 1/4" direction. Stitch borders to detail sides starting and stopping 1/4" from corners of quilt Æ center. Do not trim. Press Quilt borders out. Center

> Letters in italics indicate wrong side of fabric. Arrows indicate orientation of directional prints.

8. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



- 9. Arrange 6 blocks each on right and left sides of quilt. Sew into vertical rows (5-1/2" x 30-1/2" unfinished). Stitch to right and left sides of quilt. Arrange 12 blocks each on top and bottom of quilt. Sew into horizontal rows (5-1/2" x 60-1/2" unfinished). Stitch to top and bottom of quilt.
- 10. Stitch Fabric E2 2" x 40-1/2" borders to right and left sides of quilt. Add Fabric E2 2" x 63-1/2" borders to top and bottom of quilt.
- The wall quilt measures approximately 43-1/2" x 63-1/2" (unfinished). Make backing (Fabric H2) approximately 8" larger than the top.
- 11. Layer and baste throw quilt top, batting, and backing together. Quilt as desired. Attach binding (Fabric C2) and enjoy!!

TWIN AND SMALL THROW QUILT LAYOUTS

Throw Quilt Layout within thick black line.

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.

