



Q3007

Holiday Lane

by Anne Rowan



Panel Throw Quilt: 43 1/2" x 55 1/2"



Wilmington Prints: A World of Possibilities


www.wilmingtonprints.com/projects



Runner: 12 1/2" x 41"



Fabric A
Q3007-68440-973
1 1/4 yds.
(incl. backing)



Fabric B
Q1817-39095-999
1/4 yd.



Fabric C
Q3007-68446-237
1/3 yd.



Fabric D (Binding)
Q3007-68444-777
1/3 yd.

Holiday Lane

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following for Throw:

Refer to thumbnails on pattern cover for Fabrics A-G used in this design.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond center of panel to approximately 23" x 35"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 7-1/4" x 60" and (2) 7-1/4" x 48" multi-stripe borders

Fabric C - Cut (2) 4-1/2" strips. From each strip subcut (2) 4-1/2" squares. Trim each remaining strip to 2-3/4" then subcut a total of (2) 2-3/4" x 28" strips. Cut (2) 2-3/4" strips

Fabric D - Cut (4) 2-1/2" strips, subcut (2) 2-1/2" x 38-1/2" and (2) 2-1/2" x 30-1/2" borders

Fabric E - Cut (3) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2" x 42-1/2" and (1) 1-1/2" x 30-1/2" flat piping strips. Cut (1) 1-1/2" strip, subcut (1) 1-1/2" x 30-1/2" flat piping strips

Fabric F - Cut (6) 2-1/2" strips (binding)

2. Piecing Order for the Throw:

1. Draw a diagonal line across the wrong side of the (4) 4-1/2" **Fabric C** squares.



2. Arrange marked **Fabric C** 4-1/2" squares on corners of the **Fabric A** panel as shown. Stitch along marked lines. Trim seam allowances to 1/4". Press triangles open.



3. Refer to Quilt Layout (Page 3) for arrangement and placement of panel, strips, flat piping strips, and borders.


4. Stitch **Fabric C** 2-3/4" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-3/4" x 28" **Fabric C** strips to top and bottom of panel. **Trim bordered panel to 26-1/2" x 38-1/2" (unfinished).**

5. Stitch **Fabric D** 2-1/2" x 38-1/2" borders to right and left sides of bordered panel. Add **Fabric D** 2-1/2" x 30-1/2" borders to top and bottom of bordered panel.

6. Fold **Fabric E** 1-1/2" x 42-1/2" and 1-1/2" x 30-1/2" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.

7. Baste 3/4" x 42-1/2" **Fabric E** flat piping strips on top of sides of quilt, with raw edges even with raw edges of **Fabric D** border. Baste 3/4" x 30-1/2" **Fabric E** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric D** border.


8. Center **Fabric B** 7-1/4" x 60" borders on right and left sides of quilt center and **Fabric B** 7-1/4" x 48" borders on top and bottom of quilt center with holly stripe next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out, leaving folded **Fabric E** strips on **Fabric D** borders.



Letters in italics indicate wrong side of fabric.

Holiday Lane

9. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



10. The quilt measures approximately 44" x 56" (unfinished). Make backing (**Fabric G**) approximately 8" larger than the top.

11. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric F**) and enjoy!!

3. Cut the following for Runner:

Refer to thumbnails on pattern cover for Fabrics A-D used in this design.

Fabric A - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (1) 7" x 35-1/2" floral border
Cut (2) 18-1/2" x remaining width of fabric strips. Stitch together along short ends and trim to 18-1/2" x 47" for backing

Fabric B - Cut (3) 1-1/2" strips, subcut (2) 1-1/2" x 35-1/2" and (2) 1-1/2" x 9" borders

Fabric C - Cut (3) 2-1/2" strips, subcut (2) 2-1/2" x 37-1/2" and (2) 2-1/2" x 13" borders

Fabric D - Cut (3) 2-1/2" strips (binding)


4. Piecing Order for the Runner:

1. Refer to Runner Layout (Page 3) for arrangement and placement of border strip and borders.
2. Sew **Fabric B** 1-1/2" x 35-1/2" borders to long sides of **Fabric A** 7" x 35-1/2" floral border strip. Add **Fabric B** 1-1/2" x 9" borders to short ends.
3. Sew **Fabric C** 2-1/2" x 37-1/2" borders to long sides of runner. Add **Fabric C** 2-1/2" x 13" borders to short ends of runner.
4. The runner measures approximately 13" x 41-1/2" (unfinished).
5. Layer and baste top, batting, and backing (**Fabric A**) together. Quilt as desired. Attach binding (**Fabric D**) and enjoy!!


Holiday Lane

Border measurements are the cutsize.
Arrows indicate orientation of directional prints.

QUILT LAYOUT



RUNNER LAYOUT



Q3007

Holiday Lane

by *Anne Rowan*

Wall/Throw Throw Quilt:



Fabric A
Q3007-68438-937
2/3 yd. (1 panel)



Fabric B
Q3007-68440-973
2 yds.




Fabric C
Q3007-68446-237
5/8 yd.



Fabric D
Q3007-68444-221
3/8 yd.



Fabric E
Q3007-68444-777
1/4 yd.
(flat insert only)



Fabric F (Binding)
Q3007-68445-732
5/8 yd.



Fabric G (Backing)
Q3007-68443-327
3 yds.



Wilmington Prints: A World of Possibilities

www.wilmingtonprints.com/projects

