

2012

Morning Coffee

By Lorilynn Simms

Table Topper 55" Square



Table Runner 54" x 18"



Wilmington Prints: A World of Possibilities



www.wilmingtonprints.com/projects

Morning Coffee



Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following for Table Topper:

Fabric A - Cut (1) 6-7/8" strip, subcut (6) 6-7/8" squares then cut in half  diagonally for 12 triangles
Cut (2) 4-7/8" strips, subcut (16) 4-7/8" squares then cut in half diagonally  for 32 triangles

Fabric B - Cut (4) 2-1/2" strips
Cut (2) 2-1/2" strips, subcut (32) 2-1/2" squares

Fabric C - Cut (1) 6-7/8" strip, subcut (6) 6-7/8" squares then cut in half  diagonally for 12 triangles
Cut (3) 2-7/8" strips, subcut (32) 2-7/8" squares then cut in half diagonally  for 64 triangles

Fabric D - Cut (4) 2-1/2" strips
Cut (4) 1-7/8" strips, subcut (12) 1-7/8" x 12-5/8" strips

Fabric E - Cut (4) 1-7/8" strips, subcut (12) 1-7/8" x 12-5/8" strips
Cut (8) 1-1/4" strips, subcut (16) 1-1/4" x 9-1/2" and (16) 1-1/4" x 8" strips

Fabric F - Cut (1) 3" strip, subcut (4) 3" squares.
Trim remaining strip into (2) 1-1/2" strips, subcut (2) 1-1/2" x 30" strips
Cut (6) 2-1/2" strips (binding)
Cut (4) 1-1/2" strips, sewn together end to end with the 1-1/2" x 30" strips and cut into (2) 1-1/2" x 50-1/2" and (2) 1-1/2" x 48-1/2" borders

Fabric G - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.


Fussy cut 1/4" beyond outside edges of 8 panels to approximately 7-1/2" square

Fabric H - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (4) 3" x 50-1/2" word-stripe borders

Arrows indicate orientation of directional prints.



2. Piecing Order:

1. Stitch **Fabric E** 1-1/4" x 8" strips to sides of a **Fabric G** panel. Trim strip ends even. Add 1-1/4" x 9-1/2" **Fabric E** strips to top and bottom of panel. *Trim bordered panel to 8-1/2" square (unfinished).* Make a total of 8 **Block 1**.




Block 1 - Make 8

2. Sew 1 each **Fabrics D** and **E** 1-7/8" x 12-5/8" strips together lengthwise. Using a square ruler, trim ends so the strip is 8-1/2" square measured from corner-to-corner as shown here using a 12" square ruler. Make 12 **Unit 1**.



3. Add **Fabrics A** and **C** 6-7/8" triangles to long sides of **Unit 1** as shown. Make a total of 12 **Block 2** (8-1/2" square unfinished).



Block 2 - Make 12

4. Sew 1 each **Fabrics B** and **D** 2-1/2" strips together lengthwise. Make a total of 4 pieced strips. From these, cut (64) 2-1/2" wide **Unit 2** (2-1/2" x 4-1/2" unfinished).



Make 4 pieced strips

Unit 2 - Cut 64


5. Sew 2 **Unit 2** together alternating fabrics as shown. Make a total of 32 **Unit 3** (4-1/2" square unfinished).



Unit 3
Make 32


Morning Coffee

6. Sew 2 **Fabric C** 2-7/8" triangles to adjacent sides of a **Fabric B** 2-1/2" square as shown.



Add a **Fabric A** 4-7/8" triangle. Make a total of 32 Unit 4 (4-1/2" square unfinished).

7. Arrange 2 each Units 3 and 4 in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 16 Block 3 (8-1/2" square unfinished).



8. Refer to Topper Layout (Page 4) for arrangement and placement of blocks, borders, and squares.

9. Arrange blocks in 6 rows. Stitch into rows. Sew rows together to complete topper center (48-1/2" square unfinished).


10. Sew **Fabric F** 1-1/2" x 48-1/2" borders to right and left sides of topper center. Add **Fabric F** 1-1/2" x 50-1/2" borders to top and bottom of topper center.


11. Sew **Fabric H** 3" x 50-1/2" borders to right and left sides of topper. Stitch **Fabric F** 3" squares to both ends of the remaining **Fabric H** 3" x 50-1/2" borders then add to top and bottom of topper.

12. The topper measures approximately 55-1/2" square (unfinished). Make backing (**Fabric I**) approximately 8" larger than the top.


13. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric F**) and enjoy!!

3. Cut the following for Runner:


Fabric A - Cut (1) 5-3/8" strip, subcut (4) 5-3/8" squares then cut in half  diagonally for 8 triangles

Cut (1) 3-7/8" strip, subcut (8) 3-7/8" squares then cut in half diagonally  for 16 triangles

Fabric B - Cut (2) 2" strips
Cut (1) 2" strip, subcut (16) 2" squares

Fabric C - Cut (1) 5-3/8" strip, subcut (4) 5-3/8" squares then cut in half  diagonally for 8 triangles. Trim remaining strip into (2) 2-1/2" strips, subcut (2) 2-1/2" x 14-1/2" borders

Cut (3) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 54-1/2" borders

Cut (1) 2-3/8" strip, subcut (16) 2-3/8" squares then cut in half diagonally  for 32 triangles

Fabric D - Cut (2) 2" strips
Cut (2) 1-5/8" strips, subcut (8) 1-5/8" x 10" strips


Fabric E - Cut (2) 1-5/8" strips, subcut (8) 1-5/8" x 10" strips

Fabric F - Cut (4) 2-1/2" strips (binding)
Cut (3) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2" x 50-1/2" borders
Cut (1) 1-1/2" strip, subcut (2) 1-1/2" x 12-1/2" borders


Morning Coffee

4. Piecing Order for Runner:


1. Sew 1 each **Fabrics D** and **E** 1-5/8" x 10" strips together lengthwise. Using a square ruler, trim ends so the strip is 6-1/2" from corner-to-corner as shown here using a 12" square ruler. Make 8 Unit 1.




2. Add **Fabrics A** and **C** 5-3/8" triangles to long sides of Unit 1 as shown. Make a total of 8 **Block 1** (6-1/2" square unfinished).




3. Sew 1 each **Fabrics B** and **D** 2" strips together lengthwise. Make a total of 2 pieced strips. From these, cut (32) 2" wide Unit 2 (2" x 3-1/2" unfinished).




4. Sew 2 Unit 2 together alternating fabrics as shown. Make a total of 16 Unit 3 (3-1/2" square unfinished).



5. Sew 2 **Fabric C** 2-3/8" triangles to adjacent sides of a **Fabric B** 2" square as shown. Add a **Fabric A** 3-7/8" triangle. Make a total of 16 Unit 4 (3-1/2" square unfinished).



6. Arrange 2 each Units 3 and 4 in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 8 **Block 2** (6-1/2" square unfinished).



7. Refer to Runner Layout (Page 4) for arrangement and placement of blocks and borders.

8. Arrange blocks in 2 rows. Stitch into rows. Sew rows together to complete runner center (18-1/2" x 54-1/2" unfinished).

9. Sew **Fabric F** 1-1/2" x 12-1/2" borders to short sides of runner center. Add **Fabric F** 1-1/2" x 50-1/2" borders to long sides of runner center.

10. Sew **Fabric C** 2-1/2" x 14-1/2" borders to short sides of runner. Add **Fabric C** 2-1/2" x 54-1/2" borders to long sides of runner.

11. The runner measures approximately 18-1/2" x 54-1/2" (unfinished). Make backing (**Fabric I**) approximately 6-8" larger than the top.

12. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric F**) and enjoy!!

2012

Project Sheet - 555-540-555

Morning Coffee

By. Lorilynn Simms



A 3012-56055-931
TT: 5/8 yard
TR: 3/8 yard



B 3012-56056-222
TT: 5/8 yard
TR: 1/4 yard



C 3012-56056-333
TT: 5/8 yard
TR: 5/8 yard



D 3012-56057-199
TT: 5/8 yard
TR: 1/3 yard



E 3012-56059-922
TT: 2/3 yard
TR: 1/4 yard



F 1080-31588-282
TT: 1 yard
(incl. binding)
TR: 5/8 yard
(incl. binding)



G 3012-56051-913
TT: 2/3 yard



H 3012-56053-193
TT: 1 5/8 yards



I 3012-56055-231
TT: 3 5/8 yards
(backing only)
TR: 1 1/2 yards
(backing only)

