

# Humming Along *By Nancy Mink*

Twin Quilt: 60" x 79"



# Humming Along

Please read all instructions carefully AND identify all fabrics before beginning.  
All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

## 1. Cut the following:

**Fabric A** - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23" x 42"

**Fabric B** - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 3-1/4" x 46" diamond stripe, (2) 3-1/4" x 32-1/2" diamond stripe, and (2) 6" x 36-1/2" plant stripe borders.  
Cut (8) 6" and (4) 5" squares with plants centered

**Fabric C** - Cut (2) 3" strips, subcut (16) 3" squares

**Fabric D** - Cut (3) 2" strips, subcut (32) 2" x 3" pieces

**Fabric E** - Cut (8) 2-1/2" strips (binding)  
Cut (3) 2" strips, subcut (32) 2" x 3" pieces

**Fabric F** - Cut (4) 3" strips, subcut (2) 3" x 28-1/2" strips  
Cut (9) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 66-1/2" and (4) 2-1/2" x 51-1/2" borders  
Cut (2) 2-1/2" strips, subcut (2) 2-1/2" x 36-1/2" borders and (4) 2" squares  
Cut (3) 2" strips, subcut (60) 2" squares

**Fabric G** - Cut (6) 5" strips, sewn together end to end and cut into (2) 5" x 70-1/2" and (2) 5" x 51-1/2" borders

## 2. Piecing Order:

1. Arrange 1 **Fabric C** 3" square, 4 **Fabric F** 2" squares, and 2 each **Fabrics D** and **E** 2" x 3" pieces in 3 rows. Stitch into rows. Sew rows together. Make a total of 16 blocks (6" square unfinished).



Make 16 Blocks

2. Refer to Quilt Layout (Page 2) for arrangement and placement of blocks, panel, strips, squares, and borders.

3. Stitch **Fabric F** 3" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 3" x 28-1/2" **Fabric F** strips to top and bottom of panel. **Trim bordered panel to 27" x 46" (unfinished).**

4. Sew **Fabric B** 3-1/4" x 46" diamond borders to right and left sides of bordered panel. Add **Fabric B** 3-1/4" x 32-1/2" diamond borders to top and bottom of bordered panel.

5. Sew **Fabric F** 2-1/2" x 51-1/2" borders to right and left sides of quilt. Add **Fabric F** 2-1/2" x 36-1/2" borders to top and bottom of quilt to complete quilt center (36-1/2" x 55-1/2" unfinished).

6. Arrange 6 blocks and 4 **Fabric B** 6" squares in vertical rows on right and left sides of quilt center. Stitch into vertical borders (6" x 55-1/2" unfinished) and add to sides of quilt center.

7. Sew a block to short ends of both **Fabric B** 6" x 36-1/2" borders then add to top and bottom of quilt center.

8. Sew **Fabric F** 2-1/2" x 66-1/2" borders to right and left sides of quilt. Add **Fabric F** 2-1/2" x 51-1/2" borders to top and bottom of quilt.

9. Stitch **Fabric G** 5" x 70-1/2" borders to right and left sides of quilt. Sew a **Fabric B** 5" square to short ends of both **Fabric G** 5" x 51-1/2" borders then add to top and bottom of quilt center.

10. The quilt measures approximately 60-1/2" x 79-1/2" (unfinished). Make backing (**Fabric H**) approximately 8" larger than the top.


11. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

# Humming Along

## QUILT LAYOUT

Arrows indicate orientation of directional prints.

Border measurements are the cut size.



# Humming Along *By Nancy Mink*



Fabric A  
1665-33828-473  
2/3 yd. (1 Panel)



Fabric B  
1665-33829-427  
1 1/2 yds.




Fabric C  
1665-33831-643  
1/4 yd. (FQ)



Fabric D  
1665-33832-663  
1/4 yd. (FQ)



Fabric E  
1665-33832-773  
1 yd.  
(incl. binding)



Essentials white on white  
Fabric F  
1817-39097-100  
1 5/8 yds.



Fabric G  
1665-33833-473  
1 yd.



Fabric H  
1665-33836-474  
5 yds.  
(backing only)



OR Fabric H  
1054-2079-406  
2 yds.  
(backing only)

