

3039

Awakenings

by Stephanie Ryan



Queen Quilt: 84 1/2" x 86 1/2"



www.wilmingtonprints.com

Wilmington Prints: A World of Possibilities

Awakenings


Please read all instructions carefully AND identify all fabrics before beginning.
All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.


1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 5-1/2" x 85" and (2) 5-1/2" x 83" floral stripe borders, (36) 3" x 12-1/2" leaf sashing strips, and (8) 4-1/2" squares with flowers centered

Fabric B - Cut (3) 4-1/2" strips, subcut (24) 4-1/2" squares



Fabric C - Cut (1) 5-1/4" strip, subcut (4) 5-1/4" squares then cut in half diagonally  twice for 16 triangles
Cut (2) 4-1/2" strips, subcut (16) 4-1/2" squares

Fabric D - Cut (1) 4-7/8" strip, subcut (4) 4-7/8" squares [then cut in half diagonally  twice for 8 triangles] and (4) 4-1/2" squares
Cut (4) 4-1/2" strips, subcut (36) 4-1/2" squares

Fabric E - Cut (2) 4-1/2" strips, subcut (16) 4-1/2" squares

Fabric F - Cut (4) 3" strips, sewn together end to end and cut into (2) 3" x 69" borders and (1) 2-1/2" x 15" strip
Cut (3) 2-1/2" strips, sewn together end to end with (1) 2-1/2" x 15" strip and cut into (2) 2-1/2" x 66" borders


Fabric G - Cut (8) 3-1/2" strips, sewn together end to end and cut into (2) 3-1/2" x 85" and (2) 3-1/2" x 81" borders



Fabric H - Cut (1) 5-1/4" strip, subcut (8) 5-1/4" squares then cut in half diagonally  twice for 32 triangles
Cut (1) 4-7/8" strip, subcut (8) 4-7/8" squares then cut in half diagonally  for 16 triangles


Cut (1) 4-1/2" strip, (1) 4-1/2" square and (2) 1-1/2" x 37" strips


Cut (9) 2-1/2" strips (binding)

Cut (5) 1-1/2" strips, sewn together end to end with (2) 1-1/2" x 37" strips and cut into (2) 1-1/2" x 71" and (2) 1-1/2" x 69" flat piping strips

Fabric I - Cut (1) 4-3/4" strip, subcut (3) 4-3/4" squares [then cut in half diagonally  twice for 12 triangles] and (4) 4-1/2" squares
Cut (1) 3" strip, subcut (12) 3" squares

Fabric J - Cut (1) 9-3/8" strip, subcut (2) 9-3/8" squares [then cut in half diagonally  for 4 triangles] and (4) 5-1/4" squares [then cut in half diagonally  twice for 16 triangles]

Cut (1) 6-7/8" strip, subcut (6) 6-7/8" squares then cut in half diagonally twice  for 24 triangles

Cut (1) 4-7/8" strip, subcut (4) 4-7/8" squares then cut in half diagonally for 8 triangles 


Cut (4) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 65" borders

Cut (3) 2" strips, sewn together end to end and cut into (2) 2" x 62" borders


2. Piecing Order:

1. Arrange 4-1/2" squares in 3 rows as shown. Stitch into rows. Sew row together.


Make a total of 2 **Block 1a** (12-1/2" square unfinished). In the same manner, make 2 **Block 1b** and 1 **Block 1c**.



Block 1a - Make 2



Block 1b - Make 2



Block 1c - Make 1

Stripes indicate orientation of directional prints.

2. Sew **Fabrics D** and **H** 4-7/8" triangles together along their long edges. Make a total of 8 Unit 1 (4-1/2" square unfinished). In the same manner, make 8 Unit 2



Unit 1
Make 8




Unit 2
Make 8

with **Fabrics H** and **J** 4-7/8" triangles.

Awakenings

3. Arrange 4-1/2" squares and Units 1 and 2 in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 2 **Block 2a** (12-1/2" square unfinished). In the same manner, make 2 **Block 2b**.




Block 2a - Make 2 Block 2b - Make 2
Stripes indicate orientation of directional prints.

4. Arrange 5-1/4" triangles as shown. Sew triangles together. Make a total of 16 Units 3 (4-1/2" square unfinished).




Unit 3
Make 16

5. Arrange 4-1/2" squares and Units 3 in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 2 each **Blocks 3a** and **3b** (12-1/2" square unfinished).



Block 3a - Make 2 Block 3b - Make 2

6. Arrange 4-1/2" squares and **Fabric J** 6-7/8" triangles in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 each **Blocks 4** and **5** (12-7/8" x 12-7/8" x 18-1/4" unfinished).



Block 4 - Make 4 Block 5 - Make 4

7. Refer to Quilt Layout (Page 4) for arrangement and placement of blocks, **Fabric A** sashing strips, **Fabrics I** and **J** triangles, strips, **Fabric I** squares, flat piping strips, and borders.

8. Arrange blocks, **Fabric A** 3" x 12-1/2" sashing strips, **Fabric I** 4-3/4" triangles, **Fabric I** 3" squares, and **Fabric J** 9-3/8" triangles in 13 diagonal rows. Stitch into rows. Sew rows together completing quilt center (62" square unfinished).


9. Sew **Fabric J** 2" x 62" borders to right and left sides of quilt center. Add **Fabric J** 2-1/2" x 65" borders to top and bottom of quilt center.

10. Sew **Fabric F** 2-1/2" x 66" borders to right and left sides of quilt. Add **Fabric F** 3" x 69" borders to top and bottom of quilt.

11. Fold and press **Fabric H** 1-1/2" x 71" and 1-1/2" x 69" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.

12. Baste 3/4" x 71" **Fabric H** flat piping strips on top of sides of quilt, with raw edges even with raw edges of **Fabric F** border. Baste 3/4" x 69" **Fabric H** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric F** border.


13. Center **Fabric A** 5-1/2" x 85" borders on right and left sides of quilt center and **Fabric A** 5-1/2" x 83" borders on top and bottom of quilt center so all the borders face in the same direction as they go around the quilt. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out leaving **Fabric H** flat piping on **Fabric F** borders.



Letters in italics indicate wrong side of fabric. Arrows indicate orientation of directional prints.

Awakenings

14. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



15. Sew **Fabric G** 3-1/2" x 81" borders to right and left sides of quilt. Add **Fabric G** 3-1/2" x 85" borders to top and bottom of quilt.


16. The quilt measures approximately 85" x 87" (unfinished). Make backing (**Fabric K**) approximately 8" larger than the top.

17. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!

Awakenings

QUILT LAYOUT

Border measurements are the cut size.
Arrows and stripes indicate orientation of directional prints.



3039

Awakenings

by Stephanie Ryan




Fabric A
3039-13401-146
3 3/8 yards



Fabric B
3039-13402-496
1/2 yard



Fabric C
3039-13405-194
5/8 yard




Fabric D
3039-13406-664
3/4 yard



Fabric E
3039-13404-194
3/8 yard




Fabric F
3039-13405-414
2/3 yard



Fabric G
3039-13406-196
1 yard



Fabric H
3039-13408-404
1 5/8 yards
(incl. binding)



Fabric I
3039-13408-606
1/3 yard
(or Fat Quarter)



Fabric J
3039-13408-109
1 1/3 yards



Fabric K
3039-13403-146
7 7/8 yards
(Suggested Backing)

or

Customer's Choice

Fabric K
108" Backing
2 3/4 yards

