

3023

Down by the Lake

By Susan Winget



Large Throw Quilt: 57" x 76"

www.wilmingtonprints.com

Wilmington Prints: A World of Possibilities


Down by the Lake


Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

PLEASE NOTE:



Cut all 7-1/4" squares in half diagonally twice for the number of triangles indicated in [X] 

Cut all 6-7/8" squares in half diagonally for the number of triangles indicated in [Z] 

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 22" x 40-1/2"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 5-1/2" x 54-1/2" scenic stripe borders, (2) 3" x 53" horizon stripe borders, and (2) 3" x 35" horizon stripe borders

Fabric C - Cut (1) 7-1/4" strip subcut (1) 7-1/4" square [X] [4] and (3) 6-7/8" squares
Cut (2) 6-7/8" strips, subcut (12) 6-7/8" squares [Cut 8 **only as shown** and 7 **only as shown**]  

Fabric D - Cut (1) 7-1/4" strip subcut (1) 7-1/4" square [X] [4] and (2) 6-7/8" squares [Z] [4]
Cut (2) 6-7/8" strips subcut (12) 6-7/8" squares [Z] [24]

Fabric E - Cut (4) 2-1/2" strips, subcut (60) 2-1/2" squares

Fabric F - Cut (5) 2-1/2" strips, subcut (80) 2-1/2" squares


Fabric G - Cut (2) 2-3/4" strips
Cut (2) 2-1/2" strips, subcut (2) 2" x 27" strips
Cut (9) 2" strips, sewn together end to end and cut into (2) 2" x 73-1/2", (2) 2" x 57-1/2", and (2) 2" x 54-1/2" borders

Fabric H - Cut (8) 2-1/2" strips (binding)
Cut (3) 2-1/2" strips, subcut (40) 2-1/2" squares

NOTE: Not all Fabrics C and D 7-1/4" triangles are used.


2. Piecing Order:

1. Arrange 2 **Fabric H**, 3 **Fabric E**, and 4 **Fabric F** 2-1/2" squares in 3 rows. Stitch into rows. Sew rows together. Make a total of 10 each **Blocks 1a** and 1b noting orientation and placement of squares (6-1/2" square unfinished).




Arrows and stripes indicate orientation of directional prints.

2. Sew 1 each **Fabrics C** and **D** 6-7/8" triangles together along their long edges. Make a total of 7 each **Blocks 2a-2d** noting orientation of **Fabric C** triangles (6-1/2" square unfinished).



3. Sew 1 each **Fabrics C** and **D** 7-1/4" triangles together as shown. Add a **Fabric C** 6-7/8" triangle long edges together to complete **Block 3a** (6-1/2" square unfinished). In the same manner, make 1 **Block 3b** noting orientation of **Fabric C** triangles.




4. Refer to Quilt Layout (Page 3) for arrangement and placement of panel, strips, blocks, and borders.

5. Stitch **Fabric G** 2-3/4" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-1/2" x 27" **Fabric G** strips to top and bottom of panel. **Trim bordered panel to 25-1/2" x 43-1/2" (unfinished).**


Down by the Lake

6. Center **Fabric B** 3" x 53" borders on right and left sides of quilt center and **Fabric B** 3" x 35" borders on top and bottom of quilt center with the darker edge next to quilt center. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.



*Letters in italics indicate wrong side of fabric.
Arrows indicate orientation of directional prints.*

7. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners. Bordered panel now measures 30-1/2" x 48-1/2" (unfinished).



8. Arrange 2 each **Blocks 2a** and **2c** and 3 each **Blocks 1a, 1b, 2b** and **2d** in 8 rows on left side of bordered panel. Stitch into rows. Sew rows together into left border (12-1/2" x 48-1/2" unfinished). Stitch to the left side of bordered panel.

9. Arrange 2 each **Blocks 2b** and **2d** and 3 each **Blocks 1a, 1b, 2a** and **2c** in 8 rows on right side of bordered panel. Stitch into rows. Sew rows together into right border (12-1/2" x 48-1/2" unfinished). Stitch to the right side of bordered panel.

10. Arrange 2 each **Blocks 1a** and **1b** and 1 each **Blocks 3a** and **2a-2d** in a row above bordered panel. Stitch into top border (6-1/2" x 54-1/2" unfinished). Sew to top of bordered panel.

11. Arrange 2 each **Blocks 1a** and **1b** and 1 each **Blocks 3b** and **2a-2d** in a row below bordered panel. Stitch into bottom border (6-1/2" x 54-1/2" unfinished). Sew to bottom of bordered panel. Quilt center measures 54-1/2" x 60-1/2" (unfinished).

12. Sew **Fabric G** 2" x 54-1/2" borders to top and bottom of quilt center. Add **Fabric B** 5-1/2" x 54-1/2" borders above and below **Fabric G** borders.

13. Sew **Fabric G** 2" x 73-1/2" borders to right and left sides of quilt. Add **Fabric G** 2" x 57-1/2" borders to top and bottom of quilt.

14. The quilt measures approximately 57-1/2" x 76-1/2" (unfinished). Make backing (**Fabric I**) approximately 8" larger than the top.

15. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!

Down by the Lake


By Susan Winget



A 3023-39726-743
2/3 yard
(1 Panel)



B 3023-39727-724
1 3/4 yards



C 3023-39728-723
3/4 yard



D 3023-39730-492
3/4 yard



E 3023-39731-272
3/8 yard



F 3023-39733-222
1/2 yard



G 3023-39733-777
1 1/8 yards



H 1817-39145-229
1 yard
(Includes Binding)



I 3023-39731-472
3 3/4 yards
(Backing Only)

OR

I 108" Option
2 yards
(Backing Only)

Quilter's Choice

