

1803 *Pathways* by Kaye England



Twin Quilt: 66" x 80 1/2"
Plus Bonus Sham: 32" x 26"



www.wilmingtonprints.com

Wilmington *Prints*: A World of Possibilities

Pathways


Please read all instructions carefully AND identify all fabrics before beginning.


All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:


If using FAT CUTS, you may need to cut additional width-of-fabric strips.


PLEASE NOTE:



Cut all 5-3/4" squares in half diagonally twice for the  number of triangles indicated in [].


Cut all 5-3/8", 4-1/8", and 3-1/8" squares in half  diagonally for the number of triangles indicated in [].


Fabrics A and I - Refer to cutting charts on page 6.




Fabric B - Cut (2) 3-1/8" strips, subcut (20) 3-1/8" squares  [40]
Cut (4) 2-1/2" strips, subcut (2) 2-1/2" x 32-1/2" and (2) 2-1/2" x 22-1/2" borders

Fabric C - Cut (1) 4-1/8" strip, subcut (10) 4-1/8" squares  [20]
Cut (1) 3-5/8" strip, subcut (5) 3-5/8" squares



Fabric D - Cut (1) 5-3/4" strip, subcut (1) 5-3/4" square  [4] and (2) 3-1/8" squares  [4]. Trim remaining strip into a 5" x 24" strip, subcut (8) 2-3/4" x 5" strips
Cut (3) 3" strips, sewn together end to end and cut into (2) 3" x 58-1/2" borders and (1) 2" x 6" strip
Cut (2) 2-3/4" strips, subcut (4) 2-3/4" x 9-1/2" strips and (16) 2-3/4" squares
Cut (3) 2" strips, sewn together end to end with the 2" x 6" strip and cut into (2) 2" x 63-1/2" borders


Fabric E - Cut (1) 5-3/4" strip, subcut (2) 5-3/4" squares  [8]. Trim remaining strip into a 5" x 24" strip, subcut (8) 2-3/4" x 5" strips
Cut (4) 2-3/4" strips, subcut (8) 2-3/4" x 9-1/2" strips and (24) 2-3/4" squares


Fabric F - Cut (2) 3-1/8" strips, subcut (20) 3-1/8" squares  [40]
Cut (3) 1-1/2" strips, subcut (2) 1-1/2" x 28-1/2" and (2) 1-1/2" x 20-1/2" borders




Fabric G - Cut (1) 5-3/4" strip, subcut (2) 5-3/4" squares  [8]. Trim remaining strip into a 3-1/8" x 14" strip, subcut (4) 3-1/8" squares  [8].
Cut (1) 3-1/8" strip, subcut (12) 3-1/8" squares  [24]



Fabric H - Cut (7) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2" x 72" and (2) 1-1/2" x 62" flat piping

Fabric J - Cut (1) 5-3/4" strip, subcut (3) 5-3/4" squares  [12]. Trim remaining strip into a 3-1/8" x 15" strip, subcut and (4) 3-1/8" squares  [8].

Fabric K - Cut (1) 5-3/4" strip, subcut (3) 5-3/4" squares  [12]
Cut (8) 2-1/2" strips (binding)

Fabric L - Cut (1) 5-3/4" strip, subcut (3) 5-3/4" squares  [12]

Fabric M - Cut (1) 5-3/4" strip, subcut (3) 5-3/4" squares  [12] and (3) 5-3/8" squares
Cut (1) 5-3/8" strip, subcut (7) 5-3/8" squares then cut (5) 5-3/8" squares   Cut 5 Cut 5
in half diagonally in 1 direction [10] and 5 in the opposite direction [10]


Fabric N - Cut (3) 3-1/8" strip, subcut (28) 3-1/8" squares then cut 14 squares in half diagonally in 1 direction [28]   Cut 14 Cut 14
and 14 in the opposite direction [28]
Cut (7) 2-1/4" strips, sewn together end to end and cut into (2) 2-1/4" x 68-1/2" and (2) 2-1/4" x 62" borders

Stripes indicate orientation of directional prints.

NOTE: Not all Fabrics D, K, L, and M 5-1/4" triangles are used.


2. Piecing Order:

1. Sew 1 each **Fabrics F** and **G** 3-1/8" triangles together along their long edges. Make a total of 16 Unit 1 (2-3/4" square unfinished). In the same manner, make 4 Unit 1b with fabrics indicated.




Pathways


2. Arrange 4 Unit 1a in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 Unit 2a (5" square unfinished). In the same manner, make 1 Unit 2b with 4 Unit 1b.



3. Stitch 4 **Fabric C** 4-1/8" triangles to edges of a Unit 2a. Make a total of 4 Unit 3a (6-7/8" square unfinished). In the same manner, make 1 Unit 3b with Unit 2b.



4. Sew 4 **Fabric M** 5-3/8" triangles to edges of a Unit 3a as shown. Make a total of 4 Unit 4a (9-1/2" square unfinished). In the same manner, make 1 Unit 4b with Unit 3b.




Stripes indicate orientation of directional prints.

5. Draw a diagonal line across the wrong side of 8 **Fabric E** and 12 **Fabric D** 2-3/4" squares.



Letters in italics indicate wrong side of fabric.


6. Arrange 4 marked **Fabric D** 2-3/4" squares on corners of a Unit 4a. Stitch along marked lines. Trim seam allowances to 1/4". Press corners out. Make a total of 2 **Block 1a** (9-1/2" square unfinished). In the same manner, make 2 **Block 1b** and 1 **Block 1c** with units and fabrics indicated.




7. Stitch 4 **Fabric F** 3-1/8" triangles to edges of a **Fabric C** 3-3/8" square. Make a total of 5 Unit 5 (5" square unfinished).



8. Sew 2 **Fabric B** 3-1/8" triangles to short sides of a **Fabric K** 5-3/4" triangle. Make a total of 6 Unit 6a, noting orientation of **Fabric K** stripe (2-3/4" x 5" unfinished). In the same manner, make the number of Units 6b-6l listed with the fabrics indicated, noting orientation of stripe fabrics.



9. Arrange 4 **Fabric D** 2-3/4" squares, 1 Unit 5, and 2 each Units 6a and 6d in 3 rows noting orientation of **Fabric K** stripe. Stitch into rows. Sew rows together to complete **Block 2a** (9-1/2" square unfinished). In the same manner, make 4 **Block 2b**.




10. Stitch Units 6h and 6e together as shown. Add 2 **Fabric D** 2-3/4" x 5" strips to the sides. Make a total of 2 **Block 3a** (5" x 9-1/2" unfinished). In the same manner, make 4 **Block 3b** and 2 **Block 3c**.



Pathways

11. Arrange 1 each Units 6e, 6h, 6i, and 6j in a vertical row as shown. Stitch into a row. Add



2 **Fabric D** 2-3/4" x 9-1/2" strips to the sides. Make a total of 2 **Block 4a** (9-1/2" square unfinished). In the same manner, make 4 **Block 4b** with units and fabrics indicated.

12. Refer to Quilt Layout (Page 5) for arrangement and placement of blocks and borders.

13. Arrange blocks in 3 vertical rows. Stitch into rows (9-1/2" x 54-1/2" unfinished).

14. Sew **Fabric A** 10" x 54-1/2" strips alternately with the block rows. Add **Fabric A** 5" x 54-1/2" strips to right and left sides and **Fabric A** 5" x 55-1/2" strips to top and bottom. The quilt center measures 55-1/2" x 63-1/2" (unfinished).

15. Stitch **Fabric D** 2" x 63-1/2" borders to right and left sides of quilt center. Add **Fabric D** 3" x 58-1/2" borders to top and bottom of quilt center.

16. Sew **Fabric N** 2-1/4" x 68-1/2" borders to right and left sides of quilt. Add **Fabric N** 2-1/4" x 62" borders to top and bottom of quilt.

17. Fold and press **Fabric H** 1-1/2" x 72" and 1-1/2" x 62" strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.

18. Baste 3/4" x 72" **Fabric H** flat piping strips on top of sides of quilt, with raw edges even with raw edges of **Fabric N** border. Baste 3/4" x 62" **Fabric H** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric N** border.

19. Sew **Fabric I** 2-3/4" x 72" borders to right and left sides of quilt. Add **Fabric I** 5" x 66-1/2" borders to top and bottom of quilt.


20. The quilt measures approximately 66-1/2" x 81" (unfinished). Make backing (**Fabric O**) approximately 8" larger than the top.

21. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric K**) and enjoy!!

22. Refer to Pillow Sham Layout (Page 4) for arrangement and placement of blocks and borders.


23. Arrange **Block 1c** and 2 **Block 3c** in a row. Stitch into the sham center (9-1/2" x 18-1/2" unfinished).

24. Center **Fabric A** 3-1/2" x 18" borders on right and left sides of sham center and **Fabric A** 3-1/2" x 27" borders on top and bottom of sham center with the ribbon stripe next to sham center. Stitch borders to sides starting and stopping 1/4" from corners of sham center. Do not trim. Press borders out.



Letters in italics indicate wrong side of fabric. Arrows indicate orientation of directional prints.

25. Working with 1 corner at a time, fold the sham right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



Pathways


26. Sew **Fabric I** 1-1/2" x 15-1/2" borders to right and left sides of sham. Add **Fabric I** 3" x 26-1/2" borders to top and bottom of sham.

27. Sew **Fabric F** 1-1/2" x 20-1/2" borders to right and left sides of sham. Add **Fabric F** 1-1/2" x 28-1/2" borders to top and bottom of sham.

28. Sew **Fabric B** 2-1/2" x 22-1/2" borders to right and left sides of sham. Add **Fabric B** 2-1/2" x 32-1/2" borders to top and bottom of sham. Pillow sham top measures 26-1/2" x 32-1/2" (unfinished).

29. Fold a **Fabric I** back piece in half as shown, wrong sides together, and press fold flat. Make 2 Back Units (19-1/4" x 26-1/2" unfinished).


30. Lay the pillow sham top right side up. Arrange a Back Unit on 1 end with fold in the center, aligning all raw edges. Pin in place.



Arrange the remaining Back Unit on the other end with the folded edge overlapping the fold of the pinned Back Unit and aligning all raw edges. Pin. Stitch around outer edges, through all layers.

31. Turn pillow sham right side out. Press edges.


32. Top stitch between **Fabrics I** and **F** borders, creating a 3" flange. Insert a 20" x 26" pillow.



PILLOW SHAM LAYOUT

Border measurements are the cut size.


Stripes indicate orientation of directional prints.



Pathways


QUILT LAYOUT

Border measurements are the cut size.
Stripes indicate orientation of directional prints.



Pathways

Fabric A Cutting Diagram




Fussy cut all **Fabric A** strips lengthwise, parallel to the selvage.
Cut **Fabric A** down the center of the floral stripe, then measure the width of the stripe.

Fabric A:

- Fussy cut (2) 10" x 54-1/2"
- Fussy cut (2) 5" x 55-1/2"
- Fussy cut (2) 5" x 54-1/2"
- Fussy cut (2) 3-1/2" x 27"
- Fussy cut (2) 3-1/2" x 18"

Fabric I Cutting Diagram



Fussy cut all **Fabric I** strips lengthwise, parallel to the selvage.

Fabric I:

- Fussy cut (2) 5" x 66-1/2"
- Fussy cut (2) 2-3/4" x 72"
- Fussy cut (2) 26-1/2" x 38-1/2"
- Fussy cut (2) 3" x 26-1/2"
- Fussy cut (2) 1-1/2" x 15-1/2"

1803

Pathways

by Kaye England



Fabric A
1803-98698-937
2 1/2 yards



Fabric B
1803-98699-122
5/8 yard



Fabric C
1803-98700-237
1/3 yard
(Or Fat Quarter)



Fabric D
1803-98700-937
1 yard



Fabric E
1803-98701-937
1/2 yard




Fabric F
1803-98702-937
1/2 yard




Fabric G
1803-98703-313
3/8 yard
(Or Fat Quarter)



Fabric H
1803-98704-133
1/2 yard




Fabric I
1803-98705-129
2 7/8 yards




Fabric J
1803-98705-329
1/4 yard
(Or Fat Quarter)



Fabric K
1803-98707-333
1 yard
(Includes Binding)




Fabric L
1803-98708-333
1/4 yard
(Or Fat Eighth)




Fabric M
1803-98708-777
1/2 yard



Fabric N
1803-98708-999
1 yard



Fabric O
1803-98706-222
5 1/8 yards
(Suggested Backing)



OR

Fabric O
108" Option
2 1/4 yards
(Backing Only)

Quilter's Choice

