

michael miller FABRICS

# Treadle

SIZE: 60"W x 72"H • LEVEL: INTERMEDIATE • PATTERN BY: CHRISTINE STAINBROOK



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

**PLEASE NOTE:** BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT [MICHAELMILLERFABRICS.COM](http://MICHAELMILLERFABRICS.COM)'S FREE PROJECTS SECTION.

p.212.704.0774 | [info@michaelmillerfabrics.com](mailto:info@michaelmillerfabrics.com) | [www.michaelmillerfabrics.com](http://www.michaelmillerfabrics.com)

# Treadle

## 1/4" Seam Allowance Check


To check if your seam is accurate, cut three 1 1/2" x 3" pieces from scrap fabric.

Sew the pieces together along the 3" side, using what you believe is a 1/4" seam.

Press away from the center piece.

Measure.

The center piece should be exactly 1" wide.




If, when you measure, the center is less than 1", your seam allowance is too large. You need to move the needle to the right.


If it's more than 1", your seam allowance is too small and you need to move the needle to the left.

Consult your machine's owner's manual for instructions on moving your needle position.


Repeat this check until your center strip measures correctly.




**FABRIC A**  
CX11290 black  
1 1/8 yards



**FABRIC B**  
CX2490 snowdrop  
2 7/8 yards



**FABRIC C**  
CX11294 black  
1 1/4 yards



**FABRIC D**  
CX11295 white  
3/8 yard



**FABRIC E**  
CX11295 black  
1 1/2 yards




**FABRIC F**  
CX11296 orange  
1/2 yard



**FABRIC G**  
CX11296 red  
3/8 yard



**FABRIC H**  
CX11291 black  
3/8 yard



**FABRIC I**  
CX11293 multi  
5/8 yard



**BACKING**  
CX11290 white  
4 yards

**BATTING**  
68" X 80"

KEY	CUTTING INSTRUCTIONS WOF=width of fabric
<b>A</b>	(7) 4½" x WOF strips. Subcut: (60) 4½" squares
<b>B</b>	(5) 3¼" x WOF strips. Subcut: (60) 3¼" squares (2) 4" x WOF strips. Subcut: (15) 4" squares, cut twice diagonally (2) 8¾" x WOF strips. Subcut: (30) 2½" x 8¾" rectangles (2) 12¾" x WOF strips. Subcut: (30) 2½" x 12¾" rectangles (60) template B
<b>C</b>	(60) template A (60) template Ar (r=reversed)
<b>D</b>	(2) 4½" x WOF strips. Subcut: (15) 4½" squares
<b>E</b>	(8) 4½" x WOF strips. Subcut: (60) 4½" squares
<b>F</b>	(3) 3½" x WOF strips. Subcut: (30) 3½" squares, cut once diagonally
<b>G</b>	(2) 4" x WOF strips. Subcut: (15) 4" squares, cut twice diagonally
<b>H</b>	(2) 3¼" x WOF strips. Subcut: (15) 3¼" squares
<b>I</b>	(7) 2½" x WOF strips for binding

## Block A:

Make 15

1. Stitch one fabric C template A, one fabric C template Ar and one fabric B template B piece together as shown. Square to 4½". Make 4 units.
2. Combine the units with four fabric A 4½" squares and one fabric D 4½" square to complete the block. Square block to 12½". Make 15 blocks.

Step 1



Step 2




## Block B:

Make 15


3. Stitch one fabric G 4" triangle and one fabric B 4" triangle together as shown. Add one fabric F 3 1/2" triangle. Square units to 3 1/4". Make four units.

4. Combine the units with four fabric B 3 1/4" squares and one fabric H 3 1/4" square. Trim block to 8 3/4" square.



5. Stitch one fabric B 2 1/2" x 8 3/4" rectangle to the left and right sides of the block. Stitch one fabric B 2 1/2" x 12 3/4" rectangle to the top and bottom of the block. Square to 12 1/2".


7. Use the technique sheet on page 6 to add four fabric E 4 1/2" squares to the block using the quick corner method. Square to 12 1/2". Make 15 blocks.



## Assembly:

8. Use the assembly diagram on page 5 to stitch the blocks together.

## Assembly Diagram



### Finishing:

9. Layer, baste and quilt as desired.
10. Bind with seven fabric I  $2\frac{1}{2}$ " x WOF strips.

## Technique Sheet

### Quick Corners


Draw a diagonal line on the wrong side of the small squares (black line).

Layer one square, right sides together, on top of the unit.

Stitch on the drawn line (red line).

Cut away excess, leaving a 1/4" seam allowance.

Press triangle outward.



Repeat as instructed in pattern.

